


116004

PC70E/6/0

ELECTRIC BOILING TOP WITH 4 ROUND HERMETIC PLATE TOPS (DIAM. 18CM - 7.1 IN, TOP VERSION)



- Electric boiling top (70 cm top version) with 4 cast-iron, round plates (18 cm diameter).
- Deep drawn worktop featuring rounded corners to prevent overflows and ensure enhanced hygiene and easy cleaning. Made with AISI 304 stainless steel with Scotch Brite finish.
- Cast iron electric plates hermetically fixed to the deep drawn worktop.
- 2.0 kW power for each plate adjustable to 6 levels.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- Plastic feet (H=51 mm).
- Stainless steel control panel and side panels.
- Module coupling system with external side joints.



TECHNICAL DATA

TOTAL POWER	8 kW	ELECTRIC POWER	8 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
BOILING TOP POWER	8 kW	COOKING ZONE POWER	4x2 n°- kW
ELECTRIC PLATE DIMENSIONS	Ø 18 cm	NUMBER OF COOKING ZONES	n° 4
MINIMUM POWER CABLE CROSS-SECTION	5 x 2,5 n° - mm ²	ELECTRIC CABLE TYPE	H07 RN-F
ELECTRICAL CONNECTION HEIGHT (H)	0 mm	ELECTRICAL CONNECTION HEIGHT (X)	647 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-445 mm	FOOT HEIGHT	15 mm
FOOT ADJUSTMENT	15/25 mm	IPX RATING	4
WIDTH	70 cm	DEPTH	60 cm
HEIGHT	30 cm	PACKAGE WIDTH	76,0 cm
PACKAGE DEPTH	71,0 cm	PACKAGE HEIGHT	53,0 cm
NET WEIGHT	16,5 kg	GROSS WEIGHT	23,6 kg
VOLUME	0,2900 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	640.0 W	SENSIBLE HEAT RELEASE	1600.0 W
STEAM RELEASE	944.0 g/h		

ACCESSORIES

120585 JOINT FOR TECNO60, TECNO65
 120666 TECNO60 SPLASHBACK L=700MM

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.670.00