


116006

PC105E/6/0

**ELECTRIC BOILING TOP WITH 6 HERMETIC ROUND
HOT PLATES (DIAM. 18 CM - 7.1 IN, TOP VERSION)**



- Electric boiling top (105 cm top version) with 6 cast-iron, round plates (18 cm diameter).
- Deep drawn worktop featuring rounded corners to prevent overflows and ensure enhanced hygiene and easy cleaning. Made with AISI 304 stainless steel with Scotch Brite finish.
- Cast iron electric plates hermetically fixed to the deep drawn worktop.
- 2.0 kW power for each plate adjustable to 6 levels.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- Plastic feet (H=51 mm).
- Stainless steel control panel and side panels.
- Module coupling system with external side joints.



TECHNICAL DATA

TOTAL POWER	12 kW	ELECTRIC POWER	12 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
BOILING TOP POWER	12 kW	COOKING ZONE POWER	6x2 n°- kW
ELECTRIC PLATE DIMENSIONS	Ø 18 cm	NUMBER OF COOKING ZONES	n° 6
MINIMUM POWER CABLE CROSS-SECTION	5 x 2,5 n° - mm ²	ELECTRIC CABLE TYPE	H07 RN-F
ELECTRICAL CONNECTION HEIGHT (H)	0 mm	ELECTRICAL CONNECTION HEIGHT (X)	997 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-445 mm	FOOT HEIGHT	15 mm
FOOT ADJUSTMENT	15/25 mm	IPX RATING	4
WIDTH	105 cm	DEPTH	60 cm
HEIGHT	30 cm	PACKAGE WIDTH	111,0 cm
PACKAGE DEPTH	71,0 cm	PACKAGE HEIGHT	54 cm
NET WEIGHT	25,5 kg	GROSS WEIGHT	35 kg
VOLUME	0,4200 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	960.0 W	SENSIBLE HEAT RELEASE	2400.0 W
STEAM RELEASE	1416.0 g/h		

ACCESSORIES

120585 JOINT FOR TECNO60, TECNO65
120667 BACK SPLASH GUARD L=1050MM

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.670.00