

---

**116018**

FTR35E/6/0

**ELECTRIC GRIDDLE WITH RIBBED PLATE (TOP VERSION)**

---



- Electric griddle (35 cm top version) with a ribbed steel plate.
- Horizontal cooking plate (12 cm thick).
- Stainless steel control panel and side panels.
- Module coupling system with external side joints.
- Appliances intended for direct cooking.
- Cooking plate hermetically sealed to the worktop.
- Heating through stainless steel armoured heating elements.
- Operating thermostatic valve with temperature control ranging between 70°C and 310°C.
- Grooving with a cap and removable drawer for collecting grease and liquids.
- Removable splashback on 3 sides integrated into the worktop.
- Fitted with a safety thermostat that triggers in case of abnormal operation.
- Plastic feet (H=51 mm).

---

**TECHNICAL DATA**

TOTAL POWER	3,9 kW	ELECTRIC POWER	3,9 kW
FREQUENCY	50/60 Hz	VOLTAGE	380-415 3N~ V
TEMPERATURE RANGE	50÷320 °C	MINIMUM POWER CABLE CROSS-SECTION	5 x 1,5 n° - mm <sup>2</sup>
COOKING SURFACE	34,6x56,4 cm	ELECTRIC CABLE TYPE	H07 RN-F
PLATE TYPE	Ribbed	HEATING ZONES	n° 1
ELECTRICAL CONNECTION HEIGHT (H)	0 mm	ELECTRICAL CONNECTION HEIGHT (X)	297 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-445 mm	FOOT HEIGHT	51 mm
IPX RATING	4	WIDTH	35 cm
DEPTH	60 cm	HEIGHT	30 cm
PACKAGE WIDTH	72 cm	PACKAGE DEPTH	42 cm
PACKAGE HEIGHT	54 cm	NET WEIGHT	28,5 kg
GROSS WEIGHT	34,5 kg	VOLUME	0,16 m <sup>3</sup>
HARMONISED CODE	84198180	LATENT HEAT RELEASE	1560.0 W
SENSIBLE HEAT RELEASE	1287.0 W	STEAM RELEASE	2293.2 g/h

---

**ACCESSORIES**

- 120590 PAIR OF JOINTS FOR GRIDDLES
- 120595 GRIDDLE-CLEANING SCRAPER
- 120597 SCRAPER - SPARE BLADE KIT (10 PCS)
- 120668 BACK SPLASH GUARD L=350MM FOR GRIDDLES

INSTALLATION SCHEMES

