
116023

FTC35E/6/2

**ELECTRIC GRIDDLE WITH CHROME-PLATED
SMOOTH PLATE (TOP VERSION)**



- Gas griddle (35 cm top version) with smooth mirror-polished brushed chrome-plated plate recommended for cooking delicate products.
- Horizontal cooking plate (12 cm thick).
- Power: 3.0 kW.
- The non-stick plate ensures quick and effortless cleaning, prevents oxidation, and eliminates any flavour transfer.
- Scraper included.
- Chrome-plated griddles comply with EU Regulation 1935/2004 concerning food contact materials and articles which are intended to come into contact with food.
- Stainless steel control panel and side panels.
- Module coupling system with external side joints.
- Appliances intended for direct cooking.
- Cooking plate hermetically sealed to the worktop.
- Heating through stainless steel armoured heating elements.
- Operating thermostatic valve with temperature control ranging between 70°C and 310°C.
- Grooving with a cap and removable drawer for collecting grease and liquids.
- Removable splashback on 3 sides integrated into the worktop.
- Fitted with a safety thermostat that triggers in case of abnormal operation.
- Plastic feet (H=51 mm).

TECHNICAL DATA

TOTAL POWER	3 kW	ELECTRIC POWER	3 kW
FREQUENCY	50/60 Hz	VOLTAGE	220-240 ~ V
TEMPERATURE RANGE	50÷320 °C	MINIMUM POWER CABLE CROSS-SECTION	3 x 1,5 n° - mm ²
COOKING SURFACE	34,6x56,4 cm	ELECTRIC CABLE TYPE	H07 RN-F
PLATE TYPE	Chrome-plated - smooth	HEATING ZONES	n° 1
ELECTRICAL CONNECTION HEIGHT (H)	0 mm	ELECTRICAL CONNECTION HEIGHT (X)	297 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-445 mm	FOOT HEIGHT	51 mm
IPX RATING	4	WIDTH	35 cm
DEPTH	60 cm	HEIGHT	30 cm
PACKAGE WIDTH	71,0 cm	PACKAGE DEPTH	41,0 cm
PACKAGE HEIGHT	53,0 cm	NET WEIGHT	30,000 kg
GROSS WEIGHT	35,2000 kg	VOLUME	0,1500 m ³
HARMONISED CODE	84198180	LATENT HEAT RELEASE	1200.0 W
SENSIBLE HEAT RELEASE	990.0 W	STEAM RELEASE	1764.0 g/h

ACCESSORIES

120590	PAIR OF JOINTS FOR GRIDDLES
120595	GRIDDLE-CLEANING SCRAPER
120597	SCRAPER - SPARE BLADE KIT (10 PCS)
120668	BACK SPLASH GUARD L=350MM FOR GRIDDLES

INSTALLATION SCHEMES

