

123031

GR35G/0

## LAVA STONE GAS GRILL TOP WITH V-SHAPED STAINLESS STEEL GRID



- Gas lava stone grill (35 cm, top version).
- Stainless steel control panel and side panels.
- Module coupling system with external side joints.
- AISI 304 stainless steel worktop with Scotch Brite finish.
- AISI 304 stainless steel cooking grid with a V-shaped profile, height adjustable on 2 levels. Fish grid available with chrome-plated rod as an accessory.
- Grills comply with EU Regulation 1935/2004 concerning food contact materials and articles which are intended to come into contact with food.
- AISI 304 stainless steel 2-branch tubular burners.
- Piezoelectric ignition.
- Pilot burner and safety thermocouple
- Valved gas cock.
- Removable lavastone basket.
- Removable splashback on 3 sides included.
- Grooving and drawer for collecting grease, liquids, powders and lava stone debris. Every cooking zone is fitted with a removable drawer.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Technical compartment to facilitate connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The equipment is delivered in accordance with the customer's specifications in terms of installed nozzles, even during testing. G20 natural gas is the standard configuration. In addition, spare nozzles are included should conversion be necessary on site.

---

**TECHNICAL DATA**

|                           |                                   |                           |                 |
|---------------------------|-----------------------------------|---------------------------|-----------------|
| TOTAL POWER               | 6,9 kW                            | GAS POWER                 | 6,9 kW          |
| NATURAL GAS CONSUMPTION   | 0,73 m <sup>3</sup> /h            | COOKING SURFACE           | 30x48 cm        |
| GRID TYPE                 | In stainless steel with V profile | HEATING ZONES             | n° 1            |
| CE GAS CERTIFICATE NUMBER | CE-0085BO0098                     | GAS CONNECTION DIAMETER   | 1/2"G EN10226-1 |
| GAS CONNECTION HEIGHT (H) | 33 mm                             | GAS CONNECTION HEIGHT (X) | 305 mm          |
| GAS CONNECTION HEIGHT (Y) | -50 mm                            | FOOT HEIGHT               | 25 mm           |
| FOOT ADJUSTMENT           | 25/35 mm                          | IPX RATING                | 4               |
| WIDTH                     | 35 cm                             | DEPTH                     | 65 cm           |
| HEIGHT                    | 28 cm                             | PACKAGE WIDTH             | 71,0 cm         |
| PACKAGE DEPTH             | 41,0 cm                           | PACKAGE HEIGHT            | 53,0 cm         |
| NET WEIGHT                | 25,2 kg                           | GROSS WEIGHT              | 31,2 kg         |
| VOLUME                    | 0,1500 m <sup>3</sup>             | HARMONISED CODE           | 84198180        |
| LPG CONSUMPTION           | 0.54 m <sup>3</sup> /h            | LATENT HEAT RELEASE       | 1380.0 W        |
| SENSIBLE HEAT RELEASE     | 4968.0 W                          | STEAM RELEASE             | 2028.6 g/h      |

---

**ACCESSORIES**

- 120585 JOINT FOR TECNO60, TECNO65  
120630 FISH GRID (30X48 CM) FOR GAS GRILL ONLY

INSTALLATION SCHEMES




Fig.1 | Abb.1 | pvc.1 - 5415.688.00