
123032

GR70G/0

**LAVA STONE GAS GRILL TOP WITH V-SHAPED
STAINLESS STEEL GRID**



- Lava stone gas grill top (70 cm top version) with 2 independent cooking zones.
- Stainless steel control panel and side panels.
- Module coupling system with external side joints.
- AISI 304 stainless steel worktop with Scotch Brite finish.
- AISI 304 stainless steel cooking grid with a V-shaped profile, height adjustable on 2 levels. Fish grid available with chrome-plated rod as an accessory.
- Grills comply with EU Regulation 1935/2004 concerning food contact materials and articles which are intended to come into contact with food.
- AISI 304 stainless steel 2-branch tubular burners.
- Piezoelectric ignition.
- Pilot burner and safety thermocouple
- Valved gas cock.
- Removable lavastone basket.
- Removable splashback on 3 sides included.
- Grooving and drawer for collecting grease, liquids, powders and lava stone debris. Every cooking zone is fitted with a removable drawer.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Technical compartment to facilitate connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The equipment is delivered in accordance with the customer's specifications in terms of installed nozzles, even during testing. G20 natural gas is the standard configuration. In addition, spare nozzles are included should conversion be necessary on site.

TECHNICAL DATA

TOTAL POWER	13,8 kW	GAS POWER	13,8 kW
NATURAL GAS CONSUMPTION	1,46 m ³ /h	COOKING SURFACE	2x (30x48) cm
GRID TYPE	In stainless steel with V profile	HEATING ZONES	n° 2
CE GAS CERTIFICATE NUMBER	CE-0085BO0098	GAS CONNECTION DIAMETER	1/2"G EN10226-1
GAS CONNECTION HEIGHT (H)	33 mm	GAS CONNECTION HEIGHT (X)	655 mm
GAS CONNECTION HEIGHT (Y)	-50 mm	FOOT HEIGHT	25 mm
FOOT ADJUSTMENT	25/35 mm	IPX RATING	4
WIDTH	70 cm	DEPTH	65 cm
HEIGHT	28 cm	PACKAGE WIDTH	76,0 cm
PACKAGE DEPTH	71,0 cm	PACKAGE HEIGHT	53,0 cm
NET WEIGHT	47 kg	GROSS WEIGHT	54,5 kg
VOLUME	0,2900 m ³	HARMONISED CODE	84198180
LPG CONSUMPTION	1.09 m ³ /h	LATENT HEAT RELEASE	2760.0 W
SENSIBLE HEAT RELEASE	9936.0 W	STEAM RELEASE	4057.2 g/h

ACCESSORIES

- 120585 JOINT FOR TECNO60, TECNO65
120630 FISH GRID (30X48 CM) FOR GAS GRILL ONLY

INSTALLATION SCHEMES




Fig.1 | Abb.1 | pvc.1 - 5415.688.00