

---

**126006**


PC105E/0

**ELECTRIC BOILING TOP WITH 6 HERMETIC ROUND  
HOT PLATES (DIAM. 18 CM - 7.1 IN, TOP VERSION)**

---



- Electric boiling top (105 cm top version) with 6 cast-iron, round plates (18 cm diameter).
- Deep drawn worktop featuring rounded corners to prevent overflows and ensure enhanced hygiene and easy cleaning. Made with AISI 304 stainless steel with Scotch Brite finish.
- Cast iron electric plates hermetically fixed to the deep drawn worktop.
- 2.0 kW power for each plate adjustable to 6 levels.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- Height-adjustable rubberised plastic feet (15-25 mm)
- Stainless steel control panel and side panels.
- Module coupling system with external side joints.



## TECHNICAL DATA

TOTAL POWER	12 kW	ELECTRIC POWER	12 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
BOILING TOP POWER	12 kW	COOKING ZONE POWER	6x2 n°- kW
ELECTRIC PLATE DIMENSIONS	Ø 18 cm	NUMBER OF COOKING ZONES	n° 6
MINIMUM POWER CABLE CROSS-SECTION	5 x 2,5 n° - mm <sup>2</sup>	ELECTRIC CABLE TYPE	H07 RN-F
ELECTRICAL CONNECTION HEIGHT (H)	0 mm	ELECTRICAL CONNECTION HEIGHT (X)	997 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-495 mm	FOOT HEIGHT	15 mm
FOOT ADJUSTMENT	15/25 mm	IPX RATING	4
WIDTH	105 cm	DEPTH	65 cm
HEIGHT	28 cm	PACKAGE WIDTH	112 cm
PACKAGE DEPTH	72 cm	PACKAGE HEIGHT	54 cm
NET WEIGHT	28 kg	GROSS WEIGHT	38,5 kg
VOLUME	0,43 m <sup>3</sup>	HARMONISED CODE	84198180
LATENT HEAT RELEASE	960.0 W	SENSIBLE HEAT RELEASE	2400.0 W
STEAM RELEASE	1416.0 g/h		

## ACCESSORIES

120585 JOINT FOR TECNO60, TECNO65

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.670.00