
126020

FTR35E/2

ELECTRIC GRIDDLE WITH RIBBED PLATE (TOP VERSION)



- Electric griddle (35 cm top version) with a ribbed steel plate.
- Horizontal cooking plate (12 cm thick).
- Stainless steel control panel and side panels.
- Module coupling system with external side joints.
- Appliances intended for direct cooking.
- Cooking plate hermetically sealed to the worktop.
- Heating through stainless steel armoured heating elements.
- Operating thermostatic valve with temperature control ranging between 70°C and 310°C.
- Grooving with a cap and removable drawer for collecting grease and liquids.
- Removable splashback on 3 sides integrated into the worktop.
- Fitted with a safety thermostat that triggers in case of abnormal operation.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Technical compartment to facilitate connection to the electrical network.


TECHNICAL DATA

TOTAL POWER	3 kW	ELECTRIC POWER	3 kW
FREQUENCY	50/60 Hz	VOLTAGE	220-240 ~ V
TEMPERATURE RANGE	50÷320 °C	MINIMUM POWER CABLE CROSS-SECTION	3 x 1,5 n° - mm ²
COOKING SURFACE	34,6x56,4 cm	ELECTRIC CABLE TYPE	H07 RN-F
PLATE TYPE	Ribbed	HEATING ZONES	n° 1
ELECTRICAL CONNECTION HEIGHT (H)	0 mm	ELECTRICAL CONNECTION HEIGHT (X)	297 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-494 mm	FOOT HEIGHT	25 mm
FOOT ADJUSTMENT	25/35 mm	IPX RATING	4
WIDTH	35 cm	DEPTH	65 cm
HEIGHT	28 cm	PACKAGE WIDTH	71,0 cm
PACKAGE DEPTH	41,0 cm	PACKAGE HEIGHT	53,0 cm
NET WEIGHT	29,0000 kg	GROSS WEIGHT	34,0000 kg
VOLUME	0,1500 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	1200.0 W	SENSIBLE HEAT RELEASE	990.0 W
STEAM RELEASE	1764.0 g/h		

ACCESSORIES

120590	PAIR OF JOINTS FOR GRIDDLES
120595	GRIDDLE-CLEANING SCRAPER
120597	SCRAPER - SPARE BLADE KIT (10 PCS)

INSTALLATION SCHEMES



Drawing Code	16.04.14	Code	5415.679.00	Sheet	1	Model	FT-E/6/ - FT-E/
--------------	----------	------	-------------	-------	---	-------	-----------------