
126042

GR70E/0

ELECTRIC GRILL WITH WATER (TOP VERSION)



- Electric water grill (70 cm top version) with 2 independent cooking zones.
- Stainless steel control panel and side panels.
- Module coupling system with external side joints.
- AISI 304 worktop with Scotch Brite finish.
- AISI 304 stainless steel tank.
- Stainless steel tilting armoured heating elements.
- Energy regulator (from 1 to 6) with maximum temperature of 400°C.
- AISI 304 stainless steel grill complying with EU Regulation 1935/2004 concerning food contact materials and articles which are intended to come into contact with food.
- Safety micro switch in the raised position of the heating elements.
- Manual water filling.
- Front drain with elbow extension included.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Technical compartment to facilitate connection to the electrical network.

TECHNICAL DATA

TOTAL POWER	6 kW	ELECTRIC POWER	6 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
MINIMUM POWER CABLE CROSS-SECTION	5 x 1,5 n° - mm ²	COOKING SURFACE	50x40 cm
ELECTRIC CABLE TYPE	H07 RN-F	HEATING ZONES	n° 2
ELECTRICAL CONNECTION HEIGHT (H)	0 mm	ELECTRICAL CONNECTION HEIGHT (X)	647 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-495 mm	FOOT HEIGHT	25 mm
FOOT ADJUSTMENT	25/35 mm	IPX RATING	4
WIDTH	70 cm	DEPTH	65 cm
HEIGHT	28 cm	PACKAGE WIDTH	76,0 cm
PACKAGE DEPTH	71,0 cm	PACKAGE HEIGHT	53,0 cm
NET WEIGHT	31,5000 kg	GROSS WEIGHT	39,0000 kg
VOLUME	0,2900 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	1050.0 W	SENSIBLE HEAT RELEASE	4800.0 W
STEAM RELEASE	1542.0 g/h		

ACCESSORIES

120585 JOINT FOR TECNO60, TECNO65

INSTALLATION SCHEMES




Fig.1 | Abb.1 | pvc.1 - 5415.687.00

AI = Entrata cavo elettrico | Power supply cable inlet | Netzkabeleingang | Вход электропровода | Entrée câble électrique | Entrada cable eléctrico.