

---

**126049**

BF105E

**GN1/1 BASE UNIT FOR AN ELECTRIC CONVENTION OVEN WITH 1 GRILL AND 1 TRAY - SUITABLE FOR TOP ELEMENTS (3X35 CM) OR (1X35 CM + 1X70 CM) OR (1X105 CM) ONLY**

---



- Stainless steel control panel and side panels.
- Module coupling system with external side joints.

---


**TECHNICAL DATA**

TOTAL POWER	2,5 kW	ELECTRIC POWER	2,5 kW
FREQUENCY	50/60 Hz	VOLTAGE	220-240 ~ V
OVEN POWER	2,5 kW	TRAY CAPACITY	n° 4xGN1/1
COOKING CHAMBER DIMENSIONS	62x41,5x30,5 cm	OVEN DIMENSIONS	GN1/1
GUIDES	n° 4	VERTICAL DISTANCE BETWEEN TRAYS	1x8 + 2x5 cm
OVEN TEMPERATURE RANGE	0÷275 °C	MINIMUM POWER CABLE CROSS-SECTION	3 x 1,5 n° - mm <sup>2</sup>
TIMER	0-50 min	ELECTRIC CABLE TYPE	H07 RN-F
OVEN TYPE	Convection	ELECTRICAL CONNECTION HEIGHT (H)	0 mm
ELECTRICAL CONNECTION HEIGHT (X)	984 mm	ELECTRICAL CONNECTION HEIGHT (Y)	-204 mm
FOOT HEIGHT	155 mm	FOOT ADJUSTMENT	155/250 mm
IPX RATING	3	WIDTH	105 cm
DEPTH	65 cm	HEIGHT	65,4 cm
PACKAGE WIDTH	117,0 cm	PACKAGE DEPTH	74,0 cm
PACKAGE HEIGHT	91,0 cm	NET WEIGHT	65,0000 kg
GROSS WEIGHT	77,0000 kg	VOLUME	0,7800 m <sup>3</sup>
HARMONISED CODE	84198180		

---

**ACCESSORIES**

INSTALLATION SCHEMES



AI = Entrata cavo elettrico | Power supply cable inlet | Netzkabeleingang | Вход электропровода | Entrée cable électrique | Entrada cable eléctrico.

Fig.1 | Abb.1 | рис.1 - 5415.678.00