
126058

FTL35BE/0

ELECTRIC GRIDDLE WITH BRUSHED, CHROME-PLATED SMOOTH PLATE (TOP VERSION)



- Electric griddle (35 cm top version) with a brushed, chrome-plated smooth cooking plate to cook a variety of products, from meat to fish and vegetables.
- Horizontal cooking plate (12 cm thick).
- The anti-scratch cooking plate ensures resistance to scratches and corrosion, while the striping enhances product grilling.
- The non-stick plate ensures quick and effortless cleaning, prevents oxidation, and eliminates any flavour transfer.
- The chrome-plated surface ensures less energy consumption and heat dispersion.
- Scraper included.
- Chrome-plated griddles comply with EU Regulation 1935/2004 concerning food contact materials and articles which are intended to come into contact with food.
- Stainless steel control panel and side panels.
- Module coupling system with external side joints.
- Appliances intended for direct cooking.
- Cooking plate hermetically sealed to the worktop.
- Heating through stainless steel armoured heating elements.
- Operating thermostatic valve with temperature control ranging between 70°C and 310°C.
- Grooving with a cap and removable drawer for collecting grease and liquids.
- Removable splashback on 3 sides integrated into the worktop.
- Fitted with a safety thermostat that triggers in case of abnormal operation.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Technical compartment to facilitate connection to the electrical network.


TECHNICAL DATA

| | | | |
|----------------------------------|--------------------------------|-----------------------------------|------------------------------|
| TOTAL POWER | 3,9 kW | ELECTRIC POWER | 3,9 kW |
| FREQUENCY | 50/60 Hz | VOLTAGE | 380-415 3N~ V |
| TEMPERATURE RANGE | 50÷320 °C | MINIMUM POWER CABLE CROSS-SECTION | 5 x 1,5 n° - mm ² |
| COOKING SURFACE | 34,6x56,4 cm | ELECTRIC CABLE TYPE | H07 RN-F |
| PLATE TYPE | Brushed chrome-plated - smooth | HEATING ZONES | n° 1 |
| ELECTRICAL CONNECTION HEIGHT (H) | 0 mm | ELECTRICAL CONNECTION HEIGHT (X) | 297 mm |
| ELECTRICAL CONNECTION HEIGHT (Y) | -494 mm | FOOT HEIGHT | 25 mm |
| FOOT ADJUSTMENT | 25/35 mm | IPX RATING | 4 |
| WIDTH | 35 cm | DEPTH | 65 cm |
| HEIGHT | 28 cm | PACKAGE WIDTH | 71,0 cm |
| PACKAGE DEPTH | 41,0 cm | PACKAGE HEIGHT | 53,0 cm |
| NET WEIGHT | 30,6 kg | GROSS WEIGHT | 35,6 kg |
| VOLUME | 0,1500 m ³ | HARMONISED CODE | 84198180 |
| LATENT HEAT RELEASE | 1560.0 W | SENSIBLE HEAT RELEASE | 1287.0 W |
| STEAM RELEASE | 2293.2 g/h | | |

ACCESSORIES

- 120590 PAIR OF JOINTS FOR GRIDDLES
- 120595 GRIDDLE-CLEANING SCRAPER
- 120597 SCRAPER - SPARE BLADE KIT (10 PCS)

INSTALLATION SCHEMES



| | | | |
|--------------|-------------|-------|-----------------|
| Drawing Code | 1 | Model | FT E/6/ - FT E/ |
| Price | 5415.679,00 | | |
| Issue Date | 16.04.14 | | |