

126064

FTR70BE/0

## ELECTRIC GRIDDLE WITH BRUSHED, CHROME-PLATED, 1/3 RIBBED PLATE (TOP VERSION)



- Electric griddle (70 cm top version) with a brushed, chrome-plated 2/3 smooth and 1/3 ribbed cooking plate to cook a variety of products, from meat to fish and vegetables.
- Horizontal cooking plate (12 cm thick), 2 independent work areas.
- The anti-scratch cooking plate ensures resistance to scratches and corrosion, while the striping enhances product grilling.
- The non-stick plate ensures quick and effortless cleaning, prevents oxidation, and eliminates any flavour transfer.
- The chrome-plated surface ensures less energy consumption and heat dispersion.
- Scraper included.
- Chrome-plated griddles comply with EU Regulation 1935/2004 concerning food contact materials and articles which are intended to come into contact with food.
- Stainless steel control panel and side panels.
- Module coupling system with external side joints.
- Appliances intended for direct cooking.
- Cooking plate hermetically sealed to the worktop.
- Heating through stainless steel armoured heating elements.
- Operating thermostatic valve with temperature control ranging between 70°C and 310°C.
- Grooving with a cap and removable drawer for collecting grease and liquids.
- Removable splashback on 3 sides integrated into the worktop.
- Fitted with a safety thermostat that triggers in case of abnormal operation.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Technical compartment to facilitate connection to the electrical network.



TECHNICAL DATA			
TOTAL POWER	7,8 kW	ELECTRIC POWER	7,8 kW
FREQUENCY	50/60 Hz	VOLTAGE	380-415 3N~ V
TEMPERATURE RANGE	50÷320 °C	MINIMUM POWER CABLE CROSS-SECTION	5 x 1,5 n° - mm²
COOKING SURFACE	69,6x56,4 cm	ELECTRIC CABLE TYPE	H07 RN-F
PLATE TYPE	Brushed chrome-plated - 1/3 ribbed and 2/3 smooth	HEATING ZONES	n° 2
ELECTRICAL CONNECTION HEIGHT (Y)	-494 mm	FOOT HEIGHT	25 mm
FOOT ADJUSTMENT	25/35 mm	IPX RATING	4
WIDTH	70 cm	DEPTH	65 cm
HEIGHT	28 cm	PACKAGE WIDTH	77 cm
PACKAGE DEPTH	72 cm	PACKAGE HEIGHT	53,0 cm
NET WEIGHT	55 kg	GROSS WEIGHT	64 kg
VOLUME	0,2900 m³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	3120.0 W	SENSIBLE HEAT RELEASE	2574.0 W
STEAM RELEASE	4586.4 g/h		

## **ACCESSORIES**

120590 PAIR OF JOINTS FOR GRIDDLES 120595 GRIDDLE-CLEANING SCRAPER

120597 SCRAPER - SPARE BLADE KIT (10 PCS)



## **INSTALLATION SCHEMES**

775 - REG FT E/6/ - FT E/ INGRESSO CAVO ELETTRICO ELECTRIC CABLE INLET INGRESSO CAVO ELETTRICO ELECTRIC CABLE INLET 650 44 50 58 **†**6† 5415.679.00 182 LL 53 89 350 - 700 EQUIPOTENZIALE -EQUIPOTENTIAL 16.04.14 52 ÷ 32 944 23 89 350 - 700 EQUIPOTENZIALE EQUIPOTENTIAL INGRESSO CAVO ELETTRICO ELECTRIC CABLE INLET 330 28 INGRESSO CAVO ELETTRICO ELECTRIC CABLE INLET 4 900 300 - FIX