
216044

SE80/0

CLASSIC ELECTRIC SALAMANDER WITH MOVABLE TOP (SE)



- Classic SE80/0 electric salamander (80 cm) with movable plate.
- 2 independent cooking zones for an overall surface of 60x35 cm, compatible with GN1/1.
- With 2 removable grids.
- A salamander is a versatile appliance used for cooking au gratin, keeping ready-to-serve dishes warm, finishing baked dishes like lasagna and flans, as well as grilling and finishing meats such as hamburgers, steaks, sausages, and cutlets.
- AISI304 stainless steel structure open on 3 sides.
- Upper movable plate with rounded corners sliding on guides.
- Heating through Incoloy armoured heating elements on the upper movable plate.
- Heating elements can be sloped to facilitate maintenance.
- Temperature control via energy regulator.
- Aluminium handle with heat-resistant spacers.
- Removable chrome-plated steel cooking grid and AISI304 stainless steel grease collection container with heat-resistant handle.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Wall installation brackets (optional)

TECHNICAL DATA

TOTAL POWER	6 kW	ELECTRIC POWER	6 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
HEATING PLATES	n° 1	MINIMUM POWER CABLE CROSS-SECTION	5 x 1,5 n° - mm ²
COOKING SURFACE	80x35 cm	ELECTRIC CABLE TYPE	H07 RN-F
HEATING ZONES	n° 2	ELECTRICAL CONNECTION HEIGHT (H)	23 mm
ELECTRICAL CONNECTION HEIGHT (X)	380 mm	ELECTRICAL CONNECTION HEIGHT (Y)	0 mm
IPX RATING	3	WIDTH	80 cm
DEPTH	54,8 cm	HEIGHT	50 cm
PACKAGE WIDTH	91 cm	PACKAGE DEPTH	61 cm
PACKAGE HEIGHT	72 cm	NET WEIGHT	63,8 kg
GROSS WEIGHT	74,8 kg	VOLUME	0,40 m ³
HARMONISED CODE	84198180		

ACCESSORIES

9003 PAIR OF WALL BRACKETS FOR SALAMANDERS (QSE-SE)

INSTALLATION SCHEMES

