


313019

PP8FG9

FREESTANDING GAS SOLID BOILING TOP ON OPEN CABINET



- Freestanding gas solid top (80 cm) on open cabinet.
- Non-deformable cast iron plate (1 cm thick).
- 11 kW cast iron central burner to reach a temperature of 500°C at the plate centre, with pilot burner and safety thermocouple.
- Valved gas cock.
- Piezoelectric ignition.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to make easy the connection to the gas network
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.





TECHNICAL DATA

TOTAL POWER	11 kW	GAS POWER	11 kW
BOILING TOP POWER	11 kW	GAS PLATE POWER	1x11 n°- kW
NATURAL GAS CONSUMPTION	1,16 m³/h	ELECTRIC PLATE DIMENSIONS	76,6x68,3 cm
CABINET DIMENSIONS	77x76,1x39,5 cm	NUMBER OF BURNERS	n° 1 (plate)
PLATE TYPE	Cast iron	HEATING ZONES	n° 1
CE GAS CERTIFICATE NUMBER	CE-0085BO0092	GAS CONNECTION DIAMETER	1/2"G EN10226-1
GAS CONNECTION HEIGHT (H)	484 mm	GAS CONNECTION HEIGHT (X)	766 mm
GAS CONNECTION HEIGHT (Y)	-75 mm	FOOT HEIGHT	133 mm
FOOT ADJUSTMENT	133/195 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	90 cm
HEIGHT	90 cm	PACKAGE WIDTH	86,0 cm
PACKAGE DEPTH	100,0 cm	PACKAGE HEIGHT	115 cm
NET WEIGHT	111,0000 kg	GROSS WEIGHT	131,6 kg
VOLUME	0,9900 m³	HARMONISED CODE	84198180
LPG CONSUMPTION	0.87 m³/h		

ACCESSORIES

319002 STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90

319010 REAR COVERING PANEL FOR CABINET (L=80CM)

399569 ADJUSTABLE WATER TAP FOR KITCHENS WITH A FLUE

399573 PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)



INSTALLATION SCHEMES

