


316023

PCC8FE9

FREESTANDING GLASS CERAMIC BOILING TOP WITH 4 HEATING ZONES ON OPEN CABINET



- Freestanding glass ceramic electric boiling top on an open cabinet (80 cm) with 4 independent cooking zones.
- Glass ceramic top (6 mm thick) hermetically sealed to the worktop for maximum hygiene and ease of cleaning.
- Ultra-rapid infrared heating elements with a power of 3.4 kW for each independent zone.
- Energy regulator 0-6-infinite.
- Temperature limiter to prevent overheating.
- Heating and control commands specific for each zone.
- Lights warning when the heating zones are active.
- Warning lamps on the glass to enhance operator safety by signalling residual heat.
- Setup for installing a water tap.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to make easy the connection to the electrical network.



TECHNICAL DATA

TOTAL POWER	13,6 kW	ELECTRIC POWER	13,6 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
BOILING TOP POWER	13,6 kW	COOKING ZONE POWER	4x3,4 n°- kW
CABINET DIMENSIONS	77x76,1x39,5 cm	2-ZONE HEATING ELEMENTS	n° 4
NUMBER OF COOKING ZONES	n° 4	MINIMUM POWER CABLE CROSS-SECTION	5 x 4 n° - mm ²
ELECTRIC CABLE TYPE	H07 RN-F	HEATING ZONES	n° 4
ELECTRICAL CONNECTION HEIGHT (H)	484 mm	ELECTRICAL CONNECTION HEIGHT (X)	729 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-75 mm	FOOT HEIGHT	133 mm
FOOT ADJUSTMENT	133/195 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	90 cm
HEIGHT	90 cm	PACKAGE WIDTH	86,0 cm
PACKAGE DEPTH	100,0 cm	PACKAGE HEIGHT	111 cm
NET WEIGHT	58,1 kg	GROSS WEIGHT	75,6 kg
VOLUME	0,96 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	1088.0 W	SENSIBLE HEAT RELEASE	2720.0 W
STEAM RELEASE	1604.8 g/h		

ACCESSORIES

319002	STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90
319010	REAR COVERING PANEL FOR CABINET (L=80CM)
399516	ADJUSTABLE WATER TAP
399573	PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)

INSTALLATION SCHEMES



Fig.1 | Abb.1 | pvc.1 - 5415.561.00