

316037

PF8E9

ELECTRIC COOKER WITH 4 SQUARED HERMETIC PLATES (30X30CM - 11.8X11.8 IN) WITH A GN2/1 ELECTRIC STATIC OVEN WITH 1 GRID



□ 30cm - 4kW □ 30cm - 4kW
□ 30cm - 4kW
□ 30cm - 4kW
□ 30cm - 4kW

- Electric cooker with 4 squared plates on a GN 2/1 electric static oven (80 cm).
- Deep drawn worktop with rounded corners to avoid overflow and for maximum hygiene and easy cleaning.
- Cast iron squared electric plates (30x30) hermetically fixed to the deep drawn worktop..
- 4 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating and control commands specific for each plate.
- Lights warning when the plates are ignited.
- Setup for installing a water tap.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

>> GN 2/1 ELECTRIC STATIC OVEN

- >> AISI 304 stainless steel oven door.
- >> Stainless steel cooking chamber and long-lasting steel mesh and glass fibre gasket resistant to high temperatures.
- >> Heating through upper and lower heating elements that can be activated together or separately.
 - >> Thermostatic control 60-270°C.
 - >> Stainless steel removable side tray racks.
 - >> 1 grid included.
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to make easy the connection to the electrical network.



TECHNICAL DATA			
TOTAL POWER	21,3 kW	ELECTRIC POWER	21,3 kW
FREQUENCY	50/60 Hz	VOLTAGE	380-415 3N~ V
OVEN POWER	5,3 kW	BOILING TOP POWER	16 kW
COOKING ZONE POWER	4x4 n°- kW	TRAY CAPACITY	n° 4xGN2/1
COOKING CHAMBER DIMENSIONS	57,5x65x30 cm	OVEN DIMENSIONS	GN2/1
ELECTRIC PLATE DIMENSIONS	30x30 cm	GUIDES	n° 4
NUMBER OF COOKING ZONES	n° 4	VERTICAL DISTANCE BETWEEN TRAYS	6 cm
OVEN TEMPERATURE RANGE	60÷270 °C	MINIMUM POWER CABLE CROSS-SECTION	5 x 10 n° - mm²
ELECTRIC CABLE TYPE	H07 RN-F	OVEN TYPE	Static
ELECTRICAL CONNECTION HEIGHT (Y)	-75 mm	FOOT HEIGHT	133 mm
FOOT ADJUSTMENT	133/195 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	90 cm
HEIGHT	90 cm	PACKAGE WIDTH	86,0 cm
PACKAGE DEPTH	100,0 cm	PACKAGE HEIGHT	112 cm

GROSS WEIGHT

HARMONISED CODE

SENSIBLE HEAT RELEASE

152 kg

84198180

4260.0 W

ACCESSORIES

STEAM RELEASE

NET WEIGHT

LATENT HEAT RELEASE

VOLUME

220590 EXTRA OVEN GRID GN2/1 (53X63CM)

319010 REAR COVERING PANEL FOR CABINET (L=80CM)

399516 ADJUSTABLE WATER TAP 399532 TOP FRAME FOR 2 PLATES

399573 PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)

128 kg

0,96 m³

1704.0 W

2513.4 g/h

619012 GN2/1 INOX TRAY



INSTALLATION SCHEMES

