
316049

BM4FE9

**FREESTANDING ELECTRIC BAIN-MARIE (4 X GN1/3)
ON OPEN CABINET**



- Freestanding 4 x GN1/3 electric bain-marie on an open cabinet (40 cm).
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Bain-marie maintains food temperature and melts delicate solid food, such as chocolate, butter, and lard.
- AISI 304 stainless steel deep drawn tank with rounded corners seamlessly welded to the AISI 304 stainless steel top with Scotch Brite finish.
- Thermostatic control 0-30-60-90°C.
- Safety thermostat to protect the tank against ignition without water or excessive evaporation.
- Manual water filling.
- Drain lever on the front panel and rear drain.
- Technical compartment for easy connection to the electrical network and access to the rear drain.

TECHNICAL DATA

TOTAL POWER	3 kW	ELECTRIC POWER	3 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 2N ~ V
TEMPERATURE RANGE	30÷90 °C	TANK CAPACITY	4xGN1/3
TANK CONTAINMENT	4xGN1/3 n°- GN	CABINET DIMENSIONS	33x76,1x39,5 cm
TANK DIMENSIONS	30,8x68,6x16 cm	MINIMUM POWER CABLE CROSS-SECTION	5 x 1,5 n° - mm ²
ELECTRIC CABLE TYPE	H07 RN-F	TANK TYPE	AISI 304
WATER DRAIN POSITION	62,5cm	ELECTRICAL CONNECTION HEIGHT (H)	490 mm
ELECTRICAL CONNECTION HEIGHT (X)	321 mm	ELECTRICAL CONNECTION HEIGHT (Y)	-75 mm
DRAIN DIAMETER	1/2"	DRAIN CONNECTION HEIGHT (H)	477,5 mm
DRAIN CONNECTION HEIGHT (X)	30,5 mm	DRAIN CONNECTION HEIGHT (Y)	-75 mm
FOOT HEIGHT	133 mm	FOOT ADJUSTMENT	133/195 mm
IPX RATING	4	WIDTH	40 cm
DEPTH	90 cm	HEIGHT	90 cm
PACKAGE WIDTH	101 cm	PACKAGE DEPTH	46,0 cm
PACKAGE HEIGHT	116 cm	NET WEIGHT	32,4 kg
GROSS WEIGHT	48 kg	VOLUME	0,54 m ³
HARMONISED CODE	84198180	LATENT HEAT RELEASE	600.0 W
SENSIBLE HEAT RELEASE	375.0 W	STEAM RELEASE	882.0 g/h

ACCESSORIES

- 319002 STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90
 319009 REAR COVERING PANEL FOR CABINET (L=40CM)
 399573 PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.641.00