

**316123**

PP4FE9

**FREESTANDING ELECTRIC SOLID BOILING TOP ON OPEN CABINET**



- Freestanding electric solid top with 2 independent zones on an open cabinet (40 cm).
- Electric solid tops and cookers are suitable for indirect cooking only.
- Overflow-proof worktop with raised and welded edges.
- Non-deformable, molybdenum steel zone (15 mm thick) with prolonged heat retention properties.
- Ultra-rapid infrared heating elements fixed under the zone with a power of 3.5 kW for each independent zone.
- Maximum temperature of 470°C.
- Thermostatic regulation.
- Temperature limiter inside the zones to reduce energy consumption.
- Heating and control commands specific for each zone.
- Safety thermostat.
- Lights warning when the heating zones are active.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to make easy the connection to the electrical network.



## TECHNICAL DATA

TOTAL POWER	7 kW	ELECTRIC POWER	7 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
BOILING TOP POWER	7 kW	COOKING ZONE POWER	2x3,5 n°- kW
ELECTRIC PLATE DIMENSIONS	37,4x72 cm	NUMBER OF COOKING ZONES	n° 2
PLATE TEMPERATURE RANGE	MAX 450 °C	MINIMUM POWER CABLE CROSS-SECTION	5 x 1,5 n° - mm <sup>2</sup>
ELECTRIC CABLE TYPE	H07 RN-F	PLATE TYPE	Iron and molybdenum
HEATING ZONES	n° 2	ELECTRICAL CONNECTION HEIGHT (H)	484 mm
ELECTRICAL CONNECTION HEIGHT (X)	729 mm	ELECTRICAL CONNECTION HEIGHT (Y)	-75 mm
FOOT HEIGHT	133 mm	FOOT ADJUSTMENT	133/195 mm
IPX RATING	4	WIDTH	40 cm
DEPTH	90 cm	HEIGHT	90 cm
PACKAGE WIDTH	100,0 cm	PACKAGE DEPTH	46,0 cm
PACKAGE HEIGHT	115,0 cm	NET WEIGHT	75,0000 kg
GROSS WEIGHT	86,4000 kg	VOLUME	0,5300 m <sup>3</sup>
HARMONISED CODE	84198180		

## ACCESSORIES

319002	STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90
319009	REAR COVERING PANEL FOR CABINET (L=40CM)
399516	ADJUSTABLE WATER TAP
399573	PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)

INSTALLATION SCHEMES



Fig.1 | Abb.1 | pvc.1 - 5415.561.00