


316124

PFC8VE9

GLASS CERAMIC ELECTRIC COOKER ON GN1/1 ELECTRIC CONVECTION OVEN



- Glass ceramic electric cooker (80 cm) with 4 independent cooking zones on a GN 1/1 electric convection oven.
- Glass ceramic top (6 mm thick) hermetically sealed to the worktop for maximum hygiene and ease of cleaning.
- Ultra-rapid infrared heating elements with a power of 3.4 kW for each independent zone.
- Energy regulator 0-6-infinite.
- Temperature limiter to prevent overheating.
- Heating and control commands specific for each zone.
- Lights warning when the heating zones are active.
- Warning lamps on the glass to enhance operator safety by signalling residual heat.
- Setup for installing a water tap.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

>> GN 1/1 ELECTRIC CONVECTION OVEN

>> AISI 304 stainless steel oven door.

>> Stainless steel cooking chamber and long-lasting steel mesh and glass fibre gasket resistant to high temperatures.

>> Heating through 2 fans with 2 heating elements with thermostatic control 60-270°C.

>> Stainless steel removable side tray racks.

>> 1 grid included.

• AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.

• AISI 304 stainless steel control panel and side panels.

• Technical compartment to make easy the connection to the electrical network.

TECHNICAL DATA

TOTAL POWER	18,6 kW	ELECTRIC POWER	18,6 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
OVEN POWER	5 kW	BOILING TOP POWER	13,6 kW
COOKING ZONE POWER	4x3,4 n°- kW	TRAY CAPACITY	n° 5xGN1/1
COOKING CHAMBER DIMENSIONS	57x51,5x30 cm	OVEN DIMENSIONS	GN1/1
2-ZONE HEATING ELEMENTS	n° 4	GUIDES	n° 5
NUMBER OF COOKING ZONES	n° 4	VERTICAL DISTANCE BETWEEN TRAYS	5 cm
OVEN TEMPERATURE RANGE	60÷270 °C	MINIMUM POWER CABLE CROSS-SECTION	5 x 6 n° - mm ²
ELECTRIC CABLE TYPE	H07 RN-F	OVEN TYPE	Convection
HEATING ZONES	n° 4	WIDTH	80 cm
DEPTH	90 cm	HEIGHT	90 cm
PACKAGE WIDTH	86,0 cm	PACKAGE DEPTH	101 cm
PACKAGE HEIGHT	114 cm	NET WEIGHT	103,9 kg
GROSS WEIGHT	112,6 kg	VOLUME	0,9900 m ³
HARMONISED CODE	84198180	LATENT HEAT RELEASE	1488.0 W
SENSIBLE HEAT RELEASE	3720.0 W	STEAM RELEASE	2194.8 g/h

ACCESSORIES

319010	REAR COVERING PANEL FOR CABINET (L=80CM)
399516	ADJUSTABLE WATER TAP
399573	PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)
619004	EXTRA OVEN GRID GN1/1 (53X47CM)

INSTALLATION SCHEMES



Fig.1 | Abb.1 | pvc.1 - 5415.561.00