

---

**316142**

PCU12FE9

**FREESTANDING ELECTRIC BOILING TOP WITH 6 SQUARED TILTING PLATES (30X30 CM - 11.8X11.8 IN) ON OPEN CABINET**

---



- Freestanding boiling top with 6 coplanar, tilting, electric plates on an open cabinet (120 cm).
- Coplanar, tilting, squared, cast iron electric plates (30x30 cm and 8 mm thick) not hermetically sealed to the worktop.
- 3 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating and control commands specific for each plate.
- Lights warning when the plates are on.
- Drawer to collect cooking residue.
- Setup for installing a water tap.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to make easy the connection to the electrical network.

## TECHNICAL DATA

TOTAL POWER	18 kW	ELECTRIC POWER	18 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
BOILING TOP POWER	18 kW	COOKING ZONE POWER	6X3 n°- kW
ELECTRIC PLATE DIMENSIONS	30x30 cm	CABINET DIMENSIONS	113x76,1x39,5 cm
NUMBER OF COOKING ZONES	n° 6	MINIMUM POWER CABLE CROSS-SECTION	5 x 4 n° - mm <sup>2</sup>
ELECTRIC CABLE TYPE	H07 RN-F	ELECTRICAL CONNECTION HEIGHT (Y)	-75 mm
FOOT HEIGHT	133 mm	FOOT ADJUSTMENT	133/195 mm
IPX RATING	4	WIDTH	120 cm
DEPTH	90 cm	HEIGHT	90 cm
PACKAGE WIDTH	125 cm	PACKAGE DEPTH	99 cm
PACKAGE HEIGHT	116,0 cm	NET WEIGHT	105,4 kg
GROSS WEIGHT	125,4 kg	VOLUME	1,43 m <sup>3</sup>
HARMONISED CODE	84198180	LATENT HEAT RELEASE	1440.0 W
SENSIBLE HEAT RELEASE	3600.0 W	STEAM RELEASE	2124.0 g/h

## ACCESSORIES

- 319002 STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90
- 319011 REAR COVERING PANEL FOR CABINET (L=120CM)
- 399516 ADJUSTABLE WATER TAP
- 399573 PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)

INSTALLATION SCHEMES



Fig.1 | Abb.1 | pvc.1 - 5415.561.00