TECNO90



316143

PFU8E9

ELECTRIC COOKER WITH 4 SQUARED TILTING PLATES (30X30 CM - 11.8X11.8 IN) ON GN2/1 ELECTRIC STATIC OVEN WITH 1 GRID



- Electric cooker (80 cm) with 4 coplanar, tilting electric plates on a GN2/1 electric static oven.
- Coplanar, tilting, squared, cast iron electric plates (30x30 cm and 8 mm thick) not hermetically sealed to the worktop.
- 3 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating and control commands specific for each plate.
- Lights warning when the plates are on.
- Drawer to collect cooking residue.
- Setup for installing a water tap.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

>> GN 2/1 ELECTRIC STATIC OVEN

- >> AISI 304 stainless steel oven door.
- >> Stainless steel cooking chamber and long-lasting steel mesh and glass fibre gasket resistant to high temperatures.
- >> Heating through upper and lower heating elements that can be activated together or separately.
 - >> Thermostatic control 60-270°C.
 - >> Stainless steel removable side tray racks.
 - >> 1 grid included.
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to make easy the connection to the electrical network.



17,3 kW	ELECTRIC POWER	17,3 kW
50/60 Hz	VOLTAGE	400 3N ~ V
5,3 kW	BOILING TOP POWER	12 kW
4X3 n°- kW	TRAY CAPACITY	n° 4xGN2/1
57,5x65x30 cm	OVEN DIMENSIONS	GN2/1
30x30 cm	GUIDES	n° 4
n° 4	VERTICAL DISTANCE BETWEEN TRAYS	6 cm
60÷270 °C	MINIMUM POWER CABLE CROSS-SECTION	5 x 4 n° - mm²
H07 RN-F	OVEN TYPE	Static
-75 mm	FOOT HEIGHT	133 mm
133/195 mm	IPX RATING	4
80 cm	DEPTH	90 cm
90 cm	PACKAGE WIDTH	86,0 cm
102 cm	PACKAGE HEIGHT	113 cm
156 kg	GROSS WEIGHT	176 kg
0,99 m³	HARMONISED CODE	84198180
1384.0 W	SENSIBLE HEAT RELEASE	3460.0 W
2041.4 g/h		
	50/60 Hz 5,3 kW 4X3 n°- kW 57,5x65x30 cm 30x30 cm n° 4 60÷270 °C H07 RN-F -75 mm 133/195 mm 80 cm 90 cm 102 cm 156 kg 0,99 m³ 1384.0 W	50/60 Hz 5,3 kW BOILING TOP POWER 4X3 n°- kW TRAY CAPACITY 57,5x65x30 cm OVEN DIMENSIONS 30x30 cm GUIDES n° 4 VERTICAL DISTANCE BETWEEN TRAYS 60÷270 °C MINIMUM POWER CABLE CROSS-SECTION HO7 RN-F OVEN TYPE -75 mm FOOT HEIGHT 133/195 mm IPX RATING 80 cm DEPTH 90 cm PACKAGE WIDTH 102 cm PACKAGE HEIGHT 156 kg GROSS WEIGHT 0,99 m³ HARMONISED CODE 1384.0 W SENSIBLE HEAT RELEASE

ACCESSORIES

220590 EXTRA OVEN GRID GN2/1 (53X63CM)

319010 REAR COVERING PANEL FOR CABINET (L=80CM)

399516 ADJUSTABLE WATER TAP

399573 PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)

619012 GN2/1 INOX TRAY



INSTALLATION SCHEMES

