

316145

PFU12E9

**ELECTRIC COOKER WITH 6 SQUARED TILTING PLATES (30X30 CM - 11.8X11.8 IN) ON GN2/1
ELECTRIC STATIC OVEN WITH 1 GRID**



- Electric cooker (120 cm) with 6 coplanar, tilting electric plates on a GN2/1 electric static oven (80 cm) and a cabinet with a door (40 cm).
- Coplanar, tilting, squared, cast iron electric plates (30x30 cm and 8 mm thick) not hermetically sealed to the worktop.
- 3 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating and control commands specific for each plate.
- Lights warning when the plates are on.
- Drawer to collect cooking residue.
- Setup for installing a water tap.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

>> GN 2/1 ELECTRIC STATIC OVEN

>> AISI 304 stainless steel oven door.

>> Stainless steel cooking chamber and long-lasting steel mesh and glass fibre gasket resistant to high temperatures.

>> Heating through upper and lower heating elements that can be activated together or separately.

>> Thermostatic control 60-270°C.

>> Stainless steel removable side tray racks.

>> 1 grid included.

- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to make easy the connection to the electrical network.

TECHNICAL DATA

TOTAL POWER	23,3 kW	ELECTRIC POWER	23,3 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
OVEN POWER	5,3 kW	BOILING TOP POWER	18 kW
COOKING ZONE POWER	6X3 n°- kW	TRAY CAPACITY	n° 4xGN2/1
COOKING CHAMBER DIMENSIONS	57,5x65x30 cm	OVEN DIMENSIONS	GN2/1
ELECTRIC PLATE DIMENSIONS	30x30 cm	CABINET DIMENSIONS	33x76,1x39,5 cm
GUIDES	n° 4	NUMBER OF COOKING ZONES	n° 6
VERTICAL DISTANCE BETWEEN TRAYS	6 cm	OVEN TEMPERATURE RANGE	60±270 °C
MINIMUM POWER CABLE CROSS-SECTION	5 x 6 n° - mm ²	ELECTRIC CABLE TYPE	H07 RN-F
OVEN TYPE	Static	ELECTRICAL CONNECTION HEIGHT (Y)	-75 mm
FOOT HEIGHT	133 mm	FOOT ADJUSTMENT	133/195 mm
IPX RATING	4	WIDTH	120 cm
DEPTH	90 cm	HEIGHT	90 cm
PACKAGE WIDTH	126,0 cm	PACKAGE DEPTH	100,0 cm
PACKAGE HEIGHT	116,0 cm	NET WEIGHT	215,8 kg
GROSS WEIGHT	240,8 kg	VOLUME	1,46 m ³
HARMONISED CODE	84198180	LATENT HEAT RELEASE	1864.0 W
SENSIBLE HEAT RELEASE	4660.0 W	STEAM RELEASE	2749.4 g/h

ACCESSORIES

220590	EXTRA OVEN GRID GN2/1 (53X63CM)
319011	REAR COVERING PANEL FOR CABINET (L=120CM)
399516	ADJUSTABLE WATER TAP
399573	PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)
619012	GN2/1 INOX TRAY

INSTALLATION SCHEMES



Fig.1 | Abb.1 | pvc.1 - 5415.561.00