

---

**316148**

F8E9

**GN2/1 BASE UNIT FOR AN ELECTRIC STATIC OVEN  
WITH 1 GRID - ONLY SUITABLE FOR TOP  
ELEMENTS (2X40 CM) OR (1X80 CM)**

---



- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.

## TECHNICAL DATA

TOTAL POWER	5,3 kW	ELECTRIC POWER	5,3 kW
FREQUENCY	50/60 Hz	VOLTAGE	380-415 3N~ V
OVEN POWER	5,3 kW	TRAY CAPACITY	n° 4xGN2/1
COOKING CHAMBER DIMENSIONS	57,5x65x30 cm	OVEN DIMENSIONS	GN2/1
GUIDES	n° 4	VERTICAL DISTANCE BETWEEN TRAYS	6 cm
OVEN TEMPERATURE RANGE	60÷270 °C	MINIMUM POWER CABLE CROSS-SECTION	5 x 1,5 n° - mm <sup>2</sup>
ELECTRIC CABLE TYPE	H07 RN-F	OVEN TYPE	Static
ELECTRICAL CONNECTION HEIGHT (Y)	-780 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	90 cm
HEIGHT	60 cm	PACKAGE WIDTH	86 cm
PACKAGE DEPTH	101 cm	PACKAGE HEIGHT	82 cm
NET WEIGHT	85 kg	GROSS WEIGHT	95 kg
VOLUME	0,71 m <sup>3</sup>	HARMONISED CODE	84198180

## ACCESSORIES

220590 EXTRA OVEN GRID GN2/1 (53X63CM)  
 619012 GN2/1 INOX TRAY

INSTALLATION SCHEMES

