
316149

PCM4FE9

**FREESTANDING ELECTRIC BOILING TOP WITH 1
SQUARED HERMETIC PLATE (30X30 CM - 11.8X11.8
IN) ON OPEN CABINET**



- Freestanding electric boiling top with 1 squared plate on an open cabinet (40x45 cm).
- Mosaico90 is a special line of modular units, 45 cm deep, which combine perfectly with the Tecno90 range to create compact cooking islands designed to make the best use of space.
- AISI 304 stainless steel worktop (20/10 thick) with Scotch Brite finish, set up for internal coupling without external joints.
- AISI 304 stainless steel control panel and side panels.
- Deep drawn worktops with rounded corners and overflow-proof grooves for maximum hygiene and easy cleaning.
- Cast iron squared electric plates (30x30) hermetically fixed to the deep drawn worktop.
- 4 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating and control commands specific for each plate.
- Lights warning when the plates are ignited.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

TECHNICAL DATA

TOTAL POWER	4 kW	ELECTRIC POWER	4 kW
FREQUENCY	50/60 Hz	VOLTAGE	220-240 ~ V
BOILING TOP POWER	4 kW	COOKING ZONE POWER	1x4 n°- kW
ELECTRIC PLATE DIMENSIONS	30x30 cm	NUMBER OF COOKING ZONES	n° 1
MINIMUM POWER CABLE CROSS-SECTION	3 x 1,5 n° - mm ²	ELECTRIC CABLE TYPE	H07 RN-F
ELECTRICAL CONNECTION HEIGHT (Y)	-45 mm	FOOT HEIGHT	133 mm
FOOT ADJUSTMENT	133/195 mm	IPX RATING	4
WIDTH	40 cm	DEPTH	45 cm
HEIGHT	90 cm	PACKAGE WIDTH	100 cm
PACKAGE DEPTH	46 cm	PACKAGE HEIGHT	69 cm
NET WEIGHT	26 kg	GROSS WEIGHT	34,5 kg
VOLUME	0,32 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	320.0 W	SENSIBLE HEAT RELEASE	800.0 W
STEAM RELEASE	472.0 g/h		

ACCESSORIES

319002 STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90

INSTALLATION SCHEMES

