

316201

CP8FE9N

**GN1/1 FREESTANDING ELECTRIC DOUBLE TANK
40+40L PASTA COOKER ON CLOSED CABINET -
BASKETS NOT INCLUDED**



- Freestanding GN1/1 electric pasta cooker 40+40 L with 2 tanks on a closed cabinet (80 cm).
- Power: 2x8.4 kW.
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Pasta cooker are used to boil rice, vegetables, meat and other products.
- Deep drawn worktop with a seamlessly welded deep drawn cooking tank, featuring rounded corners, overflow-proof tank and large foam expansion area.
- AISI 316 stainless steel tank, drainpipe and false bottom for long-lasting resistance against salt corrosion.
- Heating through infrared heating elements outside the cooking tank to facilitate cleaning and enhance durability.
- Switch with 3 power levels.
- Safety thermostat to protect the tank against ignition without water or excessive evaporation.
- Green light indicating the voltage presence.
- Water inlet on the rear of the worktop.
- Overflow for draining starch in the front part of the tank.
- Bottom drain.
- Technical compartment for easy connection to the electrical network.
- Baskets not included.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

TECHNICAL DATA

TOTAL POWER	16,8 kW	ELECTRIC POWER	16,8 kW
FREQUENCY	50/60 Hz	VOLTAGE	380-415 3N~ V
TANK CAPACITY	40lt+40lt	LOADING WATER	Water inlet on the worktop
TANK DIMENSIONS	51x30,5x31 cm	MINIMUM POWER CABLE CROSS-SECTION	5 x 6 n° - mm ²
ELECTRIC CABLE TYPE	H07 RN-F	TANK TYPE	AISI 316
WATER CONNECTION POSITION	Bottom	WATER DRAIN POSITION	Bottom
ELECTRICAL CONNECTION HEIGHT (H)	0 mm	ELECTRICAL CONNECTION HEIGHT (X)	770 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-672 mm	WATER CONNECTION DIAMETER	1/2"
WATER CONNECTION HEIGHT (H)	0 mm	WATER CONNECTION HEIGHT (X)	224 mm
WATER CONNECTION HEIGHT (Y)	-620 mm	DRAIN DIAMETER	1"
DRAIN CONNECTION HEIGHT (H)	0 mm	DRAIN CONNECTION HEIGHT (X)	294 ÷ 694 mm
DRAIN CONNECTION HEIGHT (Y)	-620 mm	FOOT HEIGHT	133 mm
FOOT ADJUSTMENT	133/195 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	90 cm
HEIGHT	90 cm	PACKAGE WIDTH	86,0 cm
PACKAGE DEPTH	101 cm	PACKAGE HEIGHT	112 cm
NET WEIGHT	86 kg	GROSS WEIGHT	106 kg
VOLUME	0,97 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	3360.0 W	SENSIBLE HEAT RELEASE	588.0 W
STEAM RELEASE	4939.2 g/h		

ACCESSORIES

120650	LID (GN1/1)
319010	REAR COVERING PANEL FOR CABINET (L=80CM)
399504	PASTA COOKER BASKET (3 X GN1/3) - DIM. CM (29X16X20H)
399505	PASTA COOKER BASKET (1 X GN1/3 + 2 X GN2/6) - DIM. CM (29X16X20H)
399506	PASTA COOKER BASKET (2 X GN1/3 + 2 X GN1/6) - DIM. CM (29X16X20H) (14X14X20H)
399507	PASTA COOKER BASKET (1 X GN1/3 + 4 X GN1/6) - DIM. CM (29X16X20H) (14X14X20H)
399508	PASTA COOKER BASKET (1 X GN1/3 + 1 X GN2/3) - DIM. CM (29X16X20H) (29X29X20H)
399548	PASTA COOKER BASKET (6 X GN1/6) - DIM. CM (14X14X20H)
399553	PASTA COOKER BASKET (2 X GN1/2) - DIM. CM (29X24X20H)
399572	PASTA COOKER BASKET (GN1/1) - DIM. CM (49X29X20H)
399573	PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.639.00