

333112

GD4FG9

## FREESTANDING GAS GRILL WITH WATER AND CAST IRON GRID ON CLOSED CABINET



- Freestanding gas grill with water on a closed cabinet (40 cm).
- Power: 11 kW.
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Cast iron cooking grid with double position (sloped and horizontal). Double-sided modules for cooking meat on one side and fish and vegetables on the other side.
- Heating through AISI 304 stainless steel tubular burners.
- Piezoelectric ignition.
- Pilot burner and safety thermocouple.
- Heat regulation through a valved cock.
- AISI 316 stainless steel burner shielding tiles.
- Drawer beneath the burners serves a dual purpose: it collects grease and cooking residues for effortless cleaning, while the water evaporation feature enables gentle cooking.
- Removable splashback on 3 sides included.
- Technical compartment for easy connection to the gas network.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.



## **TECHNICAL DATA**

TOTAL POWER	11 kW	GAS POWER	11 kW
NATURAL GAS CONSUMPTION	1,26 m³/h	COOKING SURFACE	27,5x59 cm
GRID TYPE	Cast iron	CE GAS CERTIFICATE NUMBER	CE-0085BO0098
GAS CONNECTION DIAMETER	3/4"G EN10226-1	GAS CONNECTION HEIGHT (H)	0 mm
GAS CONNECTION HEIGHT (X)	366 mm	GAS CONNECTION HEIGHT (Y)	-671 mm
FOOT HEIGHT	133 mm	FOOT ADJUSTMENT	133/195 mm
WIDTH	40 cm	DEPTH	90 cm
HEIGHT	90 cm	PACKAGE WIDTH	100,0 cm
PACKAGE DEPTH	46,0 cm	PACKAGE HEIGHT	115,0 cm
NET WEIGHT	69,6000 kg	GROSS WEIGHT	80 kg
VOLUME	0,5300 m <sup>3</sup>	HARMONISED CODE	84198180
LPG CONSUMPTION	0.87 m³/h	LATENT HEAT RELEASE	2200.0 W
SENSIBLE HEAT RELEASE	7920.0 W	STEAM RELEASE	3234.0 g/h

## **ACCESSORIES**

319009 REAR COVERING PANEL FOR CABINET (L=40CM)

399573 PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)



## **INSTALLATION SCHEMES**

