

333113

GD8FG9

FREESTANDING GAS GRILL WITH WATER AND CAST IRON GRID ON CLOSED CABINET



- Freestanding gas grill with water on a closed cabinet (80 cm).
- 2 independent cooking zones.
- Power: 2x11 kW.
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Cast iron cooking grid with double position (sloped and horizontal). Double-sided modules for cooking meat on one side and fish and vegetables on the other side.
- Heating through AISI 304 stainless steel tubular burners.
- Piezoelectric ignition.
- Pilot burner and safety thermocouple.
- Heat regulation through a valved cock.
- AISI 316 stainless steel burner shielding tiles.
- Drawer beneath the burners serves a dual purpose: it collects grease and cooking residues for effortless cleaning, while the water evaporation feature enables gentle cooking.
- Removable splashback on 3 sides included.
- Technical compartment for easy connection to the gas network.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- \bullet The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.



TECHNICAL DATA

TOTAL POWER	22 kW	GAS POWER	22 kW
NATURAL GAS CONSUMPTION	2,53 m³/h	COOKING SURFACE	67x59 cm
GRID TYPE	Cast iron	CE GAS CERTIFICATE NUMBER	CE-0085BO0098
GAS CONNECTION DIAMETER	3/4"G EN10226-1	GAS CONNECTION HEIGHT (H)	0 mm
GAS CONNECTION HEIGHT (X)	777 mm	GAS CONNECTION HEIGHT (Y)	-671 mm
FOOT HEIGHT	133 mm	FOOT ADJUSTMENT	133/195 mm
IPX RATING	4	WIDTH	80 cm
DEPTH	90 cm	HEIGHT	90 cm
PACKAGE WIDTH	86,0 cm	PACKAGE DEPTH	100,0 cm
PACKAGE HEIGHT	112 cm	NET WEIGHT	119,0000 kg
GROSS WEIGHT	133 kg	VOLUME	0,9900 m ³
HARMONISED CODE	84198180	LPG CONSUMPTION	1.73 m³/h
LATENT HEAT RELEASE	4400.0 W	SENSIBLE HEAT RELEASE	15840.0 W
STEAM RELEASE	6468.0 g/h		

ACCESSORIES

319010 REAR COVERING PANEL FOR CABINET (L=80CM)

399573 PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM)



INSTALLATION SCHEMES

