

---

**613031**

**BM70G7**

**GN2/1 GAS BAIN-MARIE (TOP VERSION)**

---



- Gas bain-marie GN2/1 (70 cm top version).
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Bain-marie maintains food temperature and melts delicate solid food, such as chocolate, butter, and lard.
- AISI 304 stainless steel deep drawn tank with rounded corners sealed to the AISI 304 stainless steel top with Scotch Brite finish.
- Heating through a stainless steel tubular burner.
- Piezoelectric ignition.
- Pilot burner and safety thermocouple.
- Valved tap included as per standard.
- Safety thermostat to protect the tank against ignition without water or excessive evaporation.
- Manual water filling.
- Front drain with elbow extension included.
- Technical compartment for easy connection to the gas network.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The equipment is delivered in accordance with the customer's specifications in terms of installed nozzles, even during testing. G20 natural gas is the standard configuration. In addition, spare nozzles are included should conversion be necessary on site.

---

**TECHNICAL DATA**

TOTAL POWER	2 kW	GAS POWER	2 kW
TANK CAPACITY	GN2/1	NATURAL GAS CONSUMPTION	0,21 m <sup>3</sup> /h
TANK DIMENSIONS	63x51x16,5 cm	TANK TYPE	AISI 304
CE GAS CERTIFICATE NUMBER	CE-0085BO0096	GAS CONNECTION DIAMETER	1/2"G EN10226-1
GAS CONNECTION HEIGHT (H)	26 mm	GAS CONNECTION HEIGHT (X)	657 mm
GAS CONNECTION HEIGHT (Y)	-78 mm	FOOT HEIGHT	25 mm
FOOT ADJUSTMENT	15/25 mm	WIDTH	70 cm
DEPTH	70 cm	HEIGHT	28 cm
PACKAGE WIDTH	77,0 cm	PACKAGE DEPTH	81,0 cm
PACKAGE HEIGHT	53,0 cm	NET WEIGHT	22,6000 kg
GROSS WEIGHT	29,4 kg	VOLUME	0,3300 m <sup>3</sup>
HARMONISED CODE	84198180	LPG CONSUMPTION	0.16 m <sup>3</sup> /h
LATENT HEAT RELEASE	440.0 W	SENSIBLE HEAT RELEASE	390.0 W
STEAM RELEASE	646.0 g/h		

---

**ACCESSORIES**

120580	BAIN-MARIE FALSE BOTTOM (GN1/1)
120650	LID (GN1/1)
220585	JOINT

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.550.00