


613037

PC105G7A

**FREESTANDING 6-BURNER GAS BOILING TOP ON OPEN CABINET**



- Freestanding 6-burner gas boiling top (105 cm) on an open cabinet.
- Deep drawn worktop featuring rounded corners to prevent overflows and ensure enhanced hygiene and easy cleaning. Made with AISI 304 stainless steel with Scotch Brite finish.
- High-efficiency cast iron burners and flame spreaders with a single ring (3.3 and 4.5 kW) and double ring (7.2 kW).
- Main burner ignition via pilot burner with safety thermocouple.
- Valved gas cock.
- Enamelled cast iron pan support grid to resist acids, acids, alkalis and flames.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The equipment is delivered in accordance with the customer's specifications in terms of installed nozzles, even during testing. G20 natural gas is the standard configuration. In addition, spare nozzles are included should conversion be necessary on site.



## TECHNICAL DATA

TOTAL POWER	30 kW	GAS POWER	30 kW
OPEN BURNER POWER	2x7,2+2x3,3+2x4,5 n°- kW	BOILING TOP POWER	30 kW
NATURAL GAS CONSUMPTION	3,17 m³/h	LPG CONSUMPTION	2.36 m³/h
CABINET DIMENSIONS	104,5x57x40 cm	NUMBER OF BURNERS	n° 6
BOILING PAN SUPPORT	RAAF enamelled cast iron	CE GAS CERTIFICATE NUMBER	CE-0085BO0091
GAS CONNECTION DIAMETER	1/2" G EN10226-1	GAS CONNECTION HEIGHT (H)	477 mm
GAS CONNECTION HEIGHT (X)	1007 mm	GAS CONNECTION HEIGHT (Y)	-78 mm
FOOT HEIGHT	155 mm	FOOT ADJUSTMENT	155/250 mm
WIDTH	105 cm	DEPTH	70 cm
HEIGHT	85 cm	PACKAGE WIDTH	109,0 cm
PACKAGE DEPTH	80,0 cm	PACKAGE HEIGHT	114,0 cm
NET WEIGHT	82,0000 kg	GROSS WEIGHT	103,0000 kg
VOLUME	0,9900 m³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	3600.0 W	SENSIBLE HEAT RELEASE	9000.0 W
STEAM RELEASE	5280.0 g/h		

## ACCESSORIES

120655	PAN SUPPORT REDUCER
220585	JOINT
220722	COVERING PANEL FOR FREESTANDING ELEMENTS (50MM)
619009	RH/LH STAINLESS STEEL DOOR FOR BASES

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.550.00