

---

**613112**

FTRR70G7

**GAS GRIDDLE WITH A RIBBED PLATE (TOP VERSION)**

---



- Gas griddle with steel ribbed plate (70 cm top version).
- Horizontal cooking plate (12 cm thick).
- Heating through 2 x 2-branch chrome-plated steel burners (7 kW) with 2 independent working areas.
- Valved tap with maximum temperature of 390°C.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Appliances intended for direct cooking.
- Cooking plate hermetically sealed to the worktop.
- Ignition through a piezoelectric device with a water protection cap.
- Pilot burner and safety thermocouple.
- Grooving with a cap and removable drawer for collecting grease and liquids.
- Removable splashback on 3 sides included.
- Technical compartment for easy connection to the gas network.
- Gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The equipment is delivered in accordance with the customer's specifications in terms of installed nozzles, even during testing. G20 natural gas is the standard configuration. In addition, spare nozzles are included should conversion be necessary on site.

## TECHNICAL DATA

TOTAL POWER	14 kW	GAS POWER	14 kW
NATURAL GAS CONSUMPTION	1,48 m³/h	COOKING SURFACE	69,6x56,4 cm
PLATE TYPE	Ribbed	HEATING ZONES	n° 2
CE GAS CERTIFICATE NUMBER	CE-0085BO0093	GAS CONNECTION DIAMETER	1/2"G EN10226-1
GAS CONNECTION HEIGHT (H)	26 mm	GAS CONNECTION HEIGHT (X)	657 mm
GAS CONNECTION HEIGHT (Y)	-78 mm	FOOT HEIGHT	25 mm
FOOT ADJUSTMENT	15/25 mm	WIDTH	70 cm
DEPTH	70 cm	HEIGHT	28 cm
PACKAGE WIDTH	77,0 cm	PACKAGE DEPTH	81,0 cm
PACKAGE HEIGHT	53,0 cm	NET WEIGHT	62 kg
GROSS WEIGHT	70 kg	VOLUME	0,3300 m³
HARMONISED CODE	84198180	LPG CONSUMPTION	1.1 m³/h
LATENT HEAT RELEASE	5600.0 W	SENSIBLE HEAT RELEASE	4900.0 W
STEAM RELEASE	8232.0 g/h		

## ACCESSORIES

120595	GRIDDLE-CLEANING SCRAPER
120597	SCRAPER - SPARE BLADE KIT (10 PCS)
619005	PAIR OF JOINTS FOR GRIDDLES

---

INSTALLATION SCHEMES



IMMAGINE DA DEFINIRE