


616002

PCC70E7

GLASS CERAMIC ELECTRIC BOILING TOP WITH 4 HEATING ZONES (TOP VERSION)



- Glass ceramic electric boiling top (70 cm top version) with 4 independent cooking zones.
- Glass ceramic cook top (6 mm thick) hermetically sealed to the top for maximum hygiene and ease of cleaning.
- Ultra-rapid infrared heating elements with a power of 1.8 kW in a single circuit and 2.5 kW in a dual circuit for each independent area.
- Energy regulator 0-6-infinite.
- Temperature limiter to prevent overheating.
- Heating commands and separated controls for each area by means of a thermostat.
- Lights warning when the heating areas are active.
- Warning lamps on the glass to enhance operator safety by signalling residual heat.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the electrical network.



TECHNICAL DATA

| | | | |
|-----------------------------------|------------------------------|----------------------------------|-----------------------|
| TOTAL POWER | 8,6 kW | ELECTRIC POWER | 8,6 kW |
| FREQUENCY | 50/60 Hz | VOLTAGE | 400 3N ~ V |
| BOILING TOP POWER | 8,6 kW | COOKING ZONE POWER | 2x1,8 + 2x2,5 n°- kW |
| 2-ZONE HEATING ELEMENTS | n° 2 | NUMBER OF COOKING ZONES | n° 4 |
| MINIMUM POWER CABLE CROSS-SECTION | 5 x 2,5 n° - mm ² | ELECTRIC CABLE TYPE | H07 RN-F |
| HEATING ZONES | n° 4 | ELECTRICAL CONNECTION HEIGHT (H) | 26 mm |
| ELECTRICAL CONNECTION HEIGHT (X) | 657 mm | ELECTRICAL CONNECTION HEIGHT (Y) | -78 mm |
| FOOT HEIGHT | 15 mm | FOOT ADJUSTMENT | 15/25 mm |
| IPX RATING | 4 | WIDTH | 70 cm |
| DEPTH | 70 cm | HEIGHT | 28 cm |
| PACKAGE WIDTH | 77,0 cm | PACKAGE DEPTH | 81,0 cm |
| PACKAGE HEIGHT | 54 cm | NET WEIGHT | 22,0000 kg |
| GROSS WEIGHT | 30 kg | VOLUME | 0,3300 m ³ |
| HARMONISED CODE | 84198180 | LATENT HEAT RELEASE | 688.0 W |
| SENSIBLE HEAT RELEASE | 1720.0 W | STEAM RELEASE | 1014.8 g/h |

ACCESSORIES

220585 JOINT

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.661.00