


**616010**

PCS105E7

**ELECTRIC BOILING TOP WITH 6 SQUARED  
HERMETIC PLATES (22X22 CM - 8.7X8.7 IN, TOP  
VERSION)**



- Electric boiling top (105 cm, top version) with 6 squared cast iron plates (22x22 cm).
- Deep drawn worktop featuring rounded corners to prevent overflows and ensure enhanced hygiene and easy cleaning. Made with AISI 304 stainless steel with Scotch Brite finish.
- Cast iron electric plates hermetically fixed to the deep drawn worktop.
- 2.6 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the electrical network.



## TECHNICAL DATA

TOTAL POWER	15,6 kW	ELECTRIC POWER	15,6 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
BOILING TOP POWER	15,6 kW	COOKING ZONE POWER	6x2,6 n°- kW
ELECTRIC PLATE DIMENSIONS	22x22 cm	NUMBER OF COOKING ZONES	n° 6
MINIMUM POWER CABLE CROSS-SECTION	5 x 4 n° - mm <sup>2</sup>	ELECTRIC CABLE TYPE	H07 RN-F
ELECTRICAL CONNECTION HEIGHT (H)	26 mm	ELECTRICAL CONNECTION HEIGHT (X)	1007 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-78 mm	FOOT HEIGHT	15 mm
FOOT ADJUSTMENT	15/25 mm	IPX RATING	4
WIDTH	105 cm	DEPTH	70 cm
HEIGHT	28 cm	PACKAGE WIDTH	110 cm
PACKAGE DEPTH	80 cm	PACKAGE HEIGHT	52 cm
NET WEIGHT	45,6 kg	GROSS WEIGHT	55,6 kg
VOLUME	0,46 m <sup>3</sup>	HARMONISED CODE	84198180
LATENT HEAT RELEASE	1248.0 W	SENSIBLE HEAT RELEASE	3120.0 W
STEAM RELEASE	1840.8 g/h		

## ACCESSORIES

220585 JOINT  
220690 TOP FRAME FOR 2 SQUARE HOT PLATES

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.661.00