


616016

PFR105F7

## ELECTRIC COOKER WITH 6 ROUND HERMETIC PLATES (DIAM 22 CM - 8.7 IN) ON GN2/1 ELECTRIC STATIC OVEN AND 1 GRID





- Electric cooker (105 cm) with 6 round cast iron plates (22 cm diameter) on a GN 2/1 electric static oven and a cabinet with a door (35 cm)
- Deep drawn worktop featuring rounded corners to prevent overflows and ensure enhanced hygiene and easy cleaning. Made with AISI 304 stainless steel with Scotch Brite finish.
- Cast iron electric plates hermetically fixed to the deep drawn worktop.
- 2.6 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
  - >> GN 2/1 ELECTRIC STATIC OVEN
  - >> Stainless steel oven door and cooking chamber.
- >> Long-lasting steel mesh and glass fibre gasket resistant to high temperatures.
- >> Heating through upper and lower heating elements that can be enabled together or individually.
  - >> Thermostatic control 60-270°C.
  - >> Stainless steel removable side tray racks.
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the electrical network.



| TECHNICAL DATA                       |                |                                     |               |
|--------------------------------------|----------------|-------------------------------------|---------------|
| TOTAL POWER                          | 20,3 kW        | ELECTRIC POWER                      | 20,3 kW       |
| FREQUENCY                            | 50/60 Hz       | VOLTAGE                             | 400 3N ~ V    |
| OVEN POWER                           | 4,7 kW         | BOILING TOP POWER                   | 15,6 kW       |
| COOKING ZONE POWER                   | 6x2,6 n°- kW   | TRAY CAPACITY                       | n° 4xGN2/1    |
| COOKING CHAMBER<br>DIMENSIONS        | 57,5x65x30 cm  | OVEN DIMENSIONS                     | GN2/1         |
| ELECTRIC PLATE DIMENSIONS            | Ø 22 cm        | CABINET DIMENSIONS                  | 34,5x57x40 cm |
| GUIDES                               | n° 4           | NUMBER OF COOKING ZONES             | n° 6          |
| VERTICAL DISTANCE BETWEEN TRAYS      | 6 cm           | OVEN TEMPERATURE RANGE              | 60÷270 °C     |
| MINIMUM POWER CABLE<br>CROSS-SECTION | 5 x 6 n° - mm² | ELECTRIC CABLE TYPE                 | H07 RN-F      |
| OVEN TYPE                            | Static         | ELECTRICAL CONNECTION<br>HEIGHT (H) | 0 mm          |
| ELECTRICAL CONNECTION<br>HEIGHT (X)  | 968 mm         | ELECTRICAL CONNECTION<br>HEIGHT (Y) | -516 mm       |
| FOOT HEIGHT                          | 155 mm         | FOOT ADJUSTMENT                     | 155/250 mm    |
| IPX RATING                           | 4              | WIDTH                               | 105 cm        |
| DEPTH                                | 70 cm          | HEIGHT                              | 85 cm         |
| PACKAGE WIDTH                        | 109,0 cm       | PACKAGE DEPTH                       | 80,0 cm       |
| PACKAGE HEIGHT                       | 114,0 cm       | NET WEIGHT                          | 101,0000 kg   |
| GROSS WEIGHT                         | 122,0000 kg    | VOLUME                              | 0,9900 m³     |
| HARMONISED CODE                      | 84198180       | LATENT HEAT RELEASE                 | 1624.0 W      |
| SENSIBLE HEAT RELEASE                | 4060.0 W       | STEAM RELEASE                       | 2395.4 g/h    |

## **ACCESSORIES**

220585 JOINT

220590 EXTRA OVEN GRID GN2/1 (53X63CM)

619012 GN2/1 INOX TRAY



## **INSTALLATION SCHEMES**

