


616022

PFRX105E7

**ELECTRIC COOKER WITH 6 ROUND HERMETIC PLATES (DIAM 22 CM - 8.7 IN) ON FULL-SIZE ELECTRIC STATIC OVEN (CM 92.5X63X30) AND 1 GRID**



- Electric cooker (105 cm) with 6 round cast iron plates (22 cm diameter) on a FULL-SIZE electric static oven (92.5 x 63 x 30 cm) with GRILL.
- Deep drawn worktop featuring rounded corners to prevent overflows and ensure enhanced hygiene and easy cleaning. Made with AISI 304 stainless steel with Scotch Brite finish.
- Cast iron electric plates hermetically fixed to the deep drawn worktop.
- 2.6 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

>> FULL-SIZE ELECTRIC STATIC OVEN (internal oven dimensions 92.5 x 61.5 x 30H cm with GRILL.

>> Stainless steel oven door and cooking chamber.

>> Long-lasting steel mesh and glass fibre gasket resistant to high temperatures.

>> Heating through upper and lower heating elements that can be enabled together or individually.

>> Thermostatic control 0-60-270°C.

>> 2 removable pickled steel bottoms (3 mm thick).

>> Stainless steel removable side tray racks.

- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the electrical network.

## TECHNICAL DATA

TOTAL POWER	21,9 kW	ELECTRIC POWER	21,9 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
OVEN POWER	6,3 kW	BOILING TOP POWER	15,6 kW
COOKING ZONE POWER	6x2,6 n°- kW	TRAY CAPACITY	n° 4x(88x603)
COOKING CHAMBER DIMENSIONS	92,5x63x30 cm	OVEN DIMENSIONS	Full size H. 30 cm
ELECTRIC PLATE DIMENSIONS	Ø 22 cm	GUIDES	n° 4
NUMBER OF COOKING ZONES	n° 6	VERTICAL DISTANCE BETWEEN TRAYS	6 cm
OVEN TEMPERATURE RANGE	60÷270 °C	MINIMUM POWER CABLE CROSS-SECTION	5 x 6 n° - mm <sup>2</sup>
ELECTRIC CABLE TYPE	H07 RN-F	OVEN TYPE	Static
ELECTRICAL CONNECTION HEIGHT (H)	0 mm	ELECTRICAL CONNECTION HEIGHT (X)	968 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-516 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	IPX RATING	4
WIDTH	105 cm	DEPTH	70 cm
HEIGHT	85 cm	PACKAGE WIDTH	111 cm
PACKAGE DEPTH	82 cm	PACKAGE HEIGHT	114,0 cm
NET WEIGHT	107,5 kg	GROSS WEIGHT	128,5 kg
VOLUME	1,03 m <sup>3</sup>	HARMONISED CODE	84198180
LATENT HEAT RELEASE	1752.0 W	SENSIBLE HEAT RELEASE	4380.0 W
STEAM RELEASE	2584.2 g/h		

## ACCESSORIES

220585	JOINT
220595	EXTRA FULL-SIZE OVEN GRID (88X62CM)
619013	FULL SIZE INOX TRAY

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.553.00