

616035

FRS35E7

**FREESTANDING SINGLE TANK 14L ELECTRIC
FRYER WITH IN-TANK TILTING HEATING ELEMENTS
ON CLOSED CABINET - BASKETS, LIDS AND OIL
DRAINING TANK INCLUDED**



- Freestanding electric fryer (14 l) on a closed cabinet (35 cm).
- AISI 304 deep drawn tank with rounded corners seamlessly welded to an AISI 304 worktop, Scotch Brite finish.
- Rounded internal profile of the tank to facilitate cleaning, complying with hygiene standards.
- Heating through AISI 304 stainless steel tilting armoured heating elements for easy cleaning of the tank.
- Basket support fixed to the tilting device.
- Draining on the tank bottom.
- Tank with a basket, a lid, and a filter for collecting oil inside a closed compartment included.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Operating thermostat ranging between 100°C and 190°C below oil smoke point.
- Bulb thermostats immersed in oil are more efficient in sensing the temperature inside the tank, promptly adjusting the oil to the desired temperature, minimising smoke points, and prolonging the oil life.
- A safety thermostat triggers in case of abnormal operation.
- Green light indicating voltage presence.
- Orange light indicating that the heating elements are heating up.
- Technical compartment for easy connection to the electrical network.

TECHNICAL DATA

TOTAL POWER	10,8 kW	ELECTRIC POWER	10,8 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
TEMPERATURE RANGE	100÷190 °C	TANK CAPACITY	14lt
TANK DIMENSIONS	25x49,5x29 cm	HEATING	Heating elements in the tank
MINIMUM POWER CABLE CROSS-SECTION	5 x 2,5 n° - mm ²	ELECTRIC CABLE TYPE	H07 RN-F
TANK TYPE	AISI 304	TANKS	n° 1
ELECTRICAL CONNECTION HEIGHT (Y)	-488 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	IPX RATING	4
WIDTH	35 cm	DEPTH	70 cm
HEIGHT	85 cm	PACKAGE WIDTH	81,0 cm
PACKAGE DEPTH	47,0 cm	PACKAGE HEIGHT	114,0 cm
NET WEIGHT	38,0000 kg	GROSS WEIGHT	48 kg
VOLUME	0,4400 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	7560.0 W	SENSIBLE HEAT RELEASE	972.0 W
STEAM RELEASE	11124.0 g/h		

ACCESSORIES

- 220620 EXTRA FRYER BASKET (13 AND 14L) - DIM. CM (21.5X29.5X12H)
- 220650 2 EXTRA FRYER BASKETS (8+8/13/14L) - DIM. CM (10.5X29.5X12H)
- 220750 EXTRA OIL COLLECTION TANK FOR FRYERS (14L)

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.664.00