


616076

PFS70V7

ELECTRIC COOKER WITH 4 SQUARED HERMETIC PLATES (22X22 CM - 8.7X8.7 IN) ON GN1/1 ELECTRIC CONVECTION OVEN WITH 1 GRID





- Electric cooker (70 cm) with 4 squared cast iron plates (22x22 cm) on a GN 1/1 electric convection oven.
- Deep drawn worktop featuring rounded corners to prevent overflows and ensure enhanced hygiene and easy cleaning. Made with AISI 304 stainless steel with Scotch Brite finish.
- Cast iron electric plates hermetically fixed to the deep drawn worktop.
- 2.6 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

>> GN 1/1 ELECTRIC CONVECTION OVEN

- >> Stainless steel oven door and cooking chamber.
- >> Long-lasting steel mesh and glass fibre gasket resistant to high temperatures.
- >> Heating through 2 fans with 2 heating elements with thermostatic control 60-270°C.
 - >> Stainless steel removable side tray racks.
 - >> 1 grid included.
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the electrical network.



| TECHNICAL DATA | | | |
|-------------------------------------|-----------------------|--------------------------------------|----------------|
| TOTAL POWER | 15,4 kW | ELECTRIC POWER | 15,4 kW |
| FREQUENCY | 50/60 Hz | VOLTAGE | 400 3N ~ V |
| OVEN POWER | 5 kW | BOILING TOP POWER | 10,4 kW |
| COOKING ZONE POWER | 4x2,6 n°- kW | TRAY CAPACITY | n° 5xGN1/1 |
| COOKING CHAMBER DIMENSIONS | 57x51,5x30 cm | OVEN DIMENSIONS | GN1/1 |
| ELECTRIC PLATE DIMENSIONS | 22x22 cm | GUIDES | n° 5 |
| NUMBER OF COOKING ZONES | n° 4 | VERTICAL DISTANCE BETWEEN TRAYS | 5 cm |
| OVEN TEMPERATURE RANGE | 60÷270 °C | MINIMUM POWER CABLE CROSS-SECTION | 5 x 4 n° - mm² |
| ELECTRIC CABLE TYPE | H07 RN-F | OVEN TYPE | Convection |
| ELECTRICAL CONNECTION HEIGHT (H) | 0 mm | ELECTRICAL CONNECTION HEIGHT (X) | 618 mm |
| ELECTRICAL CONNECTION HEIGHT (Y) | -516 mm | FOOT HEIGHT | 155 mm |
| FOOT ADJUSTMENT | 155/250 mm | IPX RATING | 4 |
| WIDTH | 70 cm | DEPTH | 70 cm |
| HEIGHT | 85 cm | PACKAGE WIDTH | 76,0 cm |
| PACKAGE DEPTH | 80,0 cm | PACKAGE HEIGHT | 114,0 cm |
| NET WEIGHT | 83,5000 kg | GROSS WEIGHT | 101,0000 kg |
| VOLUME | 0,7000 m ³ | HARMONISED CODE | 84198180 |
| LATENT HEAT RELEASE | 1232.0 W | SENSIBLE HEAT RELEASE | 3080.0 W |
| STEAM RELEASE | 1817.2 g/h | | |

ACCESSORIES

220585 JOINT

220690 TOP FRAME FOR 2 SQUARE HOT PLATES 619004 EXTRA OVEN GRID GN1/1 (53X47CM)



INSTALLATION SCHEMES

