

---

**616084**

FTRR70E7

**ELECTRIC GRIDDLE WITH RIBBED PLATE (TOP VERSION)**

---



- Electric griddle (70 cm top version) with a ribbed steel plate.
- Horizontal cooking plate (12 cm thick).
- Grooving with a cap and removable drawer for collecting grease and liquids.
- 2 independent cooking zones.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Appliances intended for direct cooking.
- Cooking plate hermetically sealed to the worktop.
- Heating through stainless steel armoured heating elements.
- Operating thermostatic valve with temperature control ranging between 70°C and 300°C.
- Fitted with a safety thermostat that triggers in case of abnormal operation.
- Removable splashback on 3 sides included.
- Technical compartment for easy connection to the electrical network.

## TECHNICAL DATA

|                                  |                       |                                   |                              |
|----------------------------------|-----------------------|-----------------------------------|------------------------------|
| TOTAL POWER                      | 7,8 kW                | ELECTRIC POWER                    | 7,8 kW                       |
| FREQUENCY                        | 50/60 Hz              | VOLTAGE                           | 380-415 3N~ V                |
| TEMPERATURE RANGE                | 50÷320 °C             | MINIMUM POWER CABLE CROSS-SECTION | 5 x 1,5 n° - mm <sup>2</sup> |
| COOKING SURFACE                  | 69,6x56,4 cm          | ELECTRIC CABLE TYPE               | H07 RN-F                     |
| PLATE TYPE                       | Ribbed                | HEATING ZONES                     | n° 2                         |
| ELECTRICAL CONNECTION HEIGHT (H) | 26 mm                 | ELECTRICAL CONNECTION HEIGHT (X)  | 657 mm                       |
| ELECTRICAL CONNECTION HEIGHT (Y) | -78 mm                | FOOT HEIGHT                       | 15 mm                        |
| FOOT ADJUSTMENT                  | 15/25 mm              | IPX RATING                        | 4                            |
| WIDTH                            | 70 cm                 | DEPTH                             | 70 cm                        |
| HEIGHT                           | 28 cm                 | PACKAGE WIDTH                     | 77,0 cm                      |
| PACKAGE DEPTH                    | 81,0 cm               | PACKAGE HEIGHT                    | 53,0 cm                      |
| NET WEIGHT                       | 56,2 kg               | GROSS WEIGHT                      | 64,6 kg                      |
| VOLUME                           | 0,3300 m <sup>3</sup> | HARMONISED CODE                   | 84198180                     |
| LATENT HEAT RELEASE              | 3120.0 W              | SENSIBLE HEAT RELEASE             | 2574.0 W                     |
| STEAM RELEASE                    | 4586.4 g/h            |                                   |                              |

## ACCESSORIES

|        |                                    |
|--------|------------------------------------|
| 120595 | GRIDDLE-CLEANING SCRAPER           |
| 120597 | SCRAPER - SPARE BLADE KIT (10 PCS) |
| 619005 | PAIR OF JOINTS FOR GRIDDLES        |

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5416.162.00