

---

**616089**

FR70ES7

**DOUBLE TANK 8+8L ELECTRIC FRYER WITH IN-TANK TILTING HEATING ELEMENTS - BASKETS AND LIDS INCLUDED**

---



- Electric fryer with 2 x 8+8 l independent tanks (70 cm top version).
- Power: 2x7.5 kW.
- AISI 304 deep drawn tank with rounded corners seamlessly welded to an AISI 304 deep drawn worktop, Scotch Brite finish.
- Rounded internal profile of the deep drawn tank to facilitate cleaning, complying with hygiene standards.
- Worktop with front area for oil and foam expansion.
- Heating through AISI 304 stainless steel tilting armoured heating elements for easy cleaning of the tank.
- Basket support fixed to the tilting device.
- Front drain with elbow extension included.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Basket and lid included.
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Operating thermostat ranging between 100°C and 190°C below oil smoke point.
- Bulb thermostats immersed in oil are more efficient in sensing the temperature inside the tank, promptly adjusting the oil to the desired temperature, minimising smoke points, and prolonging the oil life.
- A safety thermostat triggers in case of abnormal operation.
- Green light indicating voltage presence.
- Orange light indicating that the heating elements are heating up.
- Technical compartment for easy connection to the electrical network.

## TECHNICAL DATA

TOTAL POWER	15 kW	ELECTRIC POWER	15 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
TEMPERATURE RANGE	100÷190 °C	TANK CAPACITY	8lt+8lt
TANK DIMENSIONS	22,7x34x22,5 cm	HEATING	Heating elements in the tank
MINIMUM POWER CABLE CROSS-SECTION	5 x 2,5 n° - mm <sup>2</sup>	ELECTRIC CABLE TYPE	H07 RN-F
TANK TYPE	AISI 304	TANKS	n° 2
ELECTRICAL CONNECTION HEIGHT (H)	25 mm	ELECTRICAL CONNECTION HEIGHT (X)	657 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-78 mm	FOOT HEIGHT	15 mm
FOOT ADJUSTMENT	15/25 mm	IPX RATING	4
WIDTH	70 cm	DEPTH	70 cm
HEIGHT	28 cm	PACKAGE WIDTH	77,0 cm
PACKAGE DEPTH	81,0 cm	PACKAGE HEIGHT	53,0 cm
NET WEIGHT	31,6000 kg	GROSS WEIGHT	38,2 kg
VOLUME	0,3300 m <sup>3</sup>	HARMONISED CODE	84198180
LATENT HEAT RELEASE	10500.0 W	SENSIBLE HEAT RELEASE	1350.0 W
STEAM RELEASE	15450.0 g/h		

## ACCESSORIES

120575	EXTRA FRYER BASKET (8L) - DIM. CM (21X26.5X10.5H)
120690	2 EXTRA FRYER BASKETS (8L) - DIM. CM (10.5X26.5X10.5H)
220585	JOINT

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.664.00