
616090

PCU35E7

**ELECTRIC BOILING TOP WITH 2 SQUARED
COPLANAR PLATES (30X30 CM - 11.8X11.8 IN, TOP
VERSION)**



- Boiling top (35 cm top version) with 2 coplanar, fixed, electric plates.
- Coplanar, squared, cast iron electric plates (30x30 cm and 6 mm thick) not hermetically sealed to the boiling top.
- 2.5 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- Cooking residue collecting drawer.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the electrical network.

TECHNICAL DATA

TOTAL POWER	5 kW	ELECTRIC POWER	5 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 2N ~ V
BOILING TOP POWER	5 kW	COOKING ZONE POWER	2X2,5 n°- kW
ELECTRIC PLATE DIMENSIONS	30x30 cm	NUMBER OF COOKING ZONES	n° 2
MINIMUM POWER CABLE CROSS-SECTION	5 x 1,5 n° - mm ²	ELECTRIC CABLE TYPE	H07 RN-F
ELECTRICAL CONNECTION HEIGHT (Y)	-78 mm	FOOT HEIGHT	15 mm
FOOT ADJUSTMENT	15/25 mm	IPX RATING	4
WIDTH	35 cm	DEPTH	70 cm
HEIGHT	28 cm	PACKAGE WIDTH	80 cm
PACKAGE DEPTH	41,0 cm	PACKAGE HEIGHT	54 cm
NET WEIGHT	36 kg	GROSS WEIGHT	43,5 kg
VOLUME	0,17 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	400.0 W	SENSIBLE HEAT RELEASE	1000.0 W
STEAM RELEASE	590.0 g/h		

ACCESSORIES

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.661.00