


616119

PFS105E7

**6 SQUARE HERMETIC HOT PLATES ELECTRIC
BOILING TOP ON GN2/1 ELECTRIC STATIC OVEN
WITH 1 GRID (PLATE 22X22CM - 8.7X8.7IN)**



- Electric cooker (105 cm) with 6 squared cast iron plates (22x22 cm) on a GN 2/1 electric static oven and a cabinet with a door (35 cm).
- Deep drawn worktop featuring rounded corners to prevent overflows and ensure enhanced hygiene and easy cleaning. Made with AISI 304 stainless steel with Scotch Brite finish.
- Cast iron electric plates hermetically fixed to the deep drawn worktop.
- 2.6 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

>> GN 2/1 ELECTRIC STATIC OVEN

>> Stainless steel oven door and cooking chamber.

>> Long-lasting steel mesh and glass fibre gasket resistant to high temperatures.

>> Heating through upper and lower heating elements that can be enabled together or individually.

>> Thermostatic control 60-270°C.

>> Stainless steel removable side tray racks.

- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the electrical network.

TECHNICAL DATA

TOTAL POWER	20,9 kW	ELECTRIC POWER	20,9 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
OVEN POWER	5,3 kW	BOILING TOP POWER	15,6 kW
COOKING ZONE POWER	6x2,6 n°- kW	TRAY CAPACITY	n° 4xGN2/1
COOKING CHAMBER DIMENSIONS	57,5x65x30 cm	OVEN DIMENSIONS	GN2/1
ELECTRIC PLATE DIMENSIONS	22x22 cm	CABINET DIMENSIONS	34,5x57x40 cm
GUIDES	n° 4	NUMBER OF COOKING ZONES	n° 6
VERTICAL DISTANCE BETWEEN TRAYS	6 cm	OVEN TEMPERATURE RANGE	60÷270 °C
MINIMUM POWER CABLE CROSS-SECTION	5 x 6 n° - mm ²	ELECTRIC CABLE TYPE	H07 RN-F
OVEN TYPE	Static	ELECTRICAL CONNECTION HEIGHT (H)	0 mm
ELECTRICAL CONNECTION HEIGHT (X)	968 mm	ELECTRICAL CONNECTION HEIGHT (Y)	-516 mm
FOOT HEIGHT	155 mm	FOOT ADJUSTMENT	155/250 mm
IPX RATING	4	WIDTH	105 cm
DEPTH	70 cm	HEIGHT	85 cm
PACKAGE WIDTH	109,0 cm	PACKAGE DEPTH	80,0 cm
PACKAGE HEIGHT	114,0 cm	NET WEIGHT	115,0000 kg
GROSS WEIGHT	136,0000 kg	VOLUME	0,9900 m ³
HARMONISED CODE	84198180	LATENT HEAT RELEASE	1672.0 W
SENSIBLE HEAT RELEASE	4180.0 W	STEAM RELEASE	2466.2 g/h

ACCESSORIES

220585	JOINT
220590	EXTRA OVEN GRID GN2/1 (53X63CM)
220690	TOP FRAME FOR 2 SQUARE HOT PLATES
619012	GN2/1 INOX TRAY

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.553.00