
616124

PFU70E7

**4 SQUARE COPLANAR HOT PLATES ELECTRIC
BOILING TOP ON GN2/1 ELECTRIC STATIC
OVEN WITH 1 GRID (PLATE 30X30CM - 11.8X11.8IN)**



- Electric cooker (70 cm) with 4 coplanar, fixed electric plates on a GN 2/1 electric static oven.
- Coplanar, squared, cast iron electric plates (30x30 cm and 6 mm thick) not hermetically sealed to the boiling top.
- 2.5 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- Cooking residue collecting drawer.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

>> GN 2/1 ELECTRIC STATIC OVEN

>> Stainless steel oven door and cooking chamber.

>> Long-lasting steel mesh and glass fibre gasket resistant to high temperatures.

>> Heating through upper and lower heating elements that can be enabled together or individually.

>> Thermostatic control 60-270°C.

>> Stainless steel removable side tray racks.

- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the electrical network.

TECHNICAL DATA

TOTAL POWER	15,3 kW	ELECTRIC POWER	15,3 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
OVEN POWER	5,3 kW	BOILING TOP POWER	10 kW
COOKING ZONE POWER	4X2,5 n°- kW	TRAY CAPACITY	n° 4xGN2/1
COOKING CHAMBER DIMENSIONS	57,5x65x30 cm	OVEN DIMENSIONS	GN2/1
ELECTRIC PLATE DIMENSIONS	30x30 cm	GUIDES	n° 4
NUMBER OF COOKING ZONES	n° 4	VERTICAL DISTANCE BETWEEN TRAYS	6 cm
OVEN TEMPERATURE RANGE	60÷270 °C	MINIMUM POWER CABLE CROSS-SECTION	5 x 2,5 n° - mm ²
ELECTRIC CABLE TYPE	H07 RN-F	OVEN TYPE	Static
ELECTRICAL CONNECTION HEIGHT (Y)	-516 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	IPX RATING	4
WIDTH	70 cm	DEPTH	70 cm
HEIGHT	85 cm	PACKAGE WIDTH	76 cm
PACKAGE DEPTH	80 cm	PACKAGE HEIGHT	114 cm
NET WEIGHT	115 kg	GROSS WEIGHT	133 kg
VOLUME	0,70 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	1224.0 W	SENSIBLE HEAT RELEASE	3060.0 W
STEAM RELEASE	1805.4 g/h		

ACCESSORIES

220585	JOINT
220590	EXTRA OVEN GRID GN2/1 (53X63CM)
619012	GN2/1 INOX TRAY

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.553.00