


713017

PCG4FSG7

FREESTANDING SUPER 2-BURNER GAS BOILING TOP WITH CAST IRON GRIDS ON OPEN CABINET





- Freestanding 2-burner gas boiling top (40 cm) on an open cabinet (SUPER version).
- High-efficiency cast iron burners and flame spreaders with a double ring (7.2 kW).
- Deep drawn worktop with rounded corners to avoid overflow and for maximum hygiene and easy cleaning.
- Main burner ignition via pilot burner with safety thermocouple.
- Valved gas cock.
- Setup for installing a water tap.
- Enamelled cast iron pan support grid to resist acids, acids, alkalis and flames.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to facilitate connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.

DEPTH

PACKAGE WIDTH

PACKAGE HEIGHT

HARMONISED CODE

LATENT HEAT RELEASE

GROSS WEIGHT

STEAM RELEASE



90 cm

47,0 cm

0,4300 m³

1.13 m³/h

4320.0 W

38 kg

TECHNICAL DATA			
TOTAL POWER	14,4 kW	GAS POWER	14,4 kW
OPEN BURNER POWER	2x7,2 n°- kW	BOILING TOP POWER	14,4 kW
NATURAL GAS CONSUMPTION	1,52 m³/h	CABINET DIMENSIONS	33x57,4x39,5 cm
NUMBER OF BURNERS	n° 2	BOILING PAN SUPPORT	RAAF enamelled cast iron
CE GAS CERTIFICATE NUMBER	CE-0085BO0091	GAS CONNECTION DIAMETER	1/2"G EN10226-1
GAS CONNECTION HEIGHT (H)	660 mm	GAS CONNECTION HEIGHT (X)	366 mm
GAS CONNECTION HEIGHT (Y)	-63 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	WIDTH	40 cm

HEIGHT

PACKAGE DEPTH

LPG CONSUMPTION

SENSIBLE HEAT RELEASE

NET WEIGHT

VOLUME

ACCESSORIES

 $319002 \quad {\sf STAINLESS\ STEEL\ RH/LH\ DOOR\ FOR\ TECNO74,\ TECNO90,\ MOSAICO74,\ MOSAICO90}$

719004 TECNO74 REAR COVERING PANEL FOR FREESTANDING ELEMENTS (L=40CM)

799503 SIDE COVERING PANEL FOR FREESTANDING MODULE

70 cm

81,0 cm

114,0 cm

84198180

1728.0 W

2534.4 g/h

49,2 kg

799506 PAIR OF CLOSING ELEMENTS (L=70CM)



INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.649.00