


713018

PCG8FG7

FREESTANDING 4-BURNER GAS BOILING TOP WITH CAST IRON GRIDS ON OPEN CABINET



- Freestanding 4-burner gas boiling top on an open cabinet (80 cm).
- High-efficiency cast iron burners and flame spreaders with a single ring (3.3 and 4.5 kW) and double ring (7.2 kW).
- Deep drawn worktop with rounded corners to avoid overflow and for maximum hygiene and easy cleaning.
- Main burner ignition via pilot burner with safety thermocouple.
- Valved gas cock.
- Setup for installing a water tap.
- Enamelled cast iron pan support grid to resist acids, alkalis and flames.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to facilitate connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.

TECHNICAL DATA

TOTAL POWER	19,5 kW	GAS POWER	19,5 kW
OPEN BURNER POWER	1x3,3+2x4,5+1x7,2 n°- kW	BOILING TOP POWER	19,5 kW
NATURAL GAS CONSUMPTION	2,06 m³/h	CABINET DIMENSIONS	73x57,4x39,5 cm
NUMBER OF BURNERS	n° 4	BOILING PAN SUPPORT	RAAF enamelled cast iron
CE GAS CERTIFICATE NUMBER	CE-0085BO0091	GAS CONNECTION DIAMETER	1/2"G EN10226-1
GAS CONNECTION HEIGHT (H)	660 mm	GAS CONNECTION HEIGHT (X)	766 mm
GAS CONNECTION HEIGHT (Y)	-63 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	WIDTH	80 cm
DEPTH	70 cm	HEIGHT	90 cm
PACKAGE WIDTH	85,0 cm	PACKAGE DEPTH	82,0 cm
PACKAGE HEIGHT	114,0 cm	NET WEIGHT	65,5000 kg
GROSS WEIGHT	83,0000 kg	VOLUME	0,7900 m³
HARMONISED CODE	84198180	LPG CONSUMPTION	1.54 m³/h
LATENT HEAT RELEASE	2340.0 W	SENSIBLE HEAT RELEASE	5850.0 W
STEAM RELEASE	3432.0 g/h		

ACCESSORIES

319002	STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90
799503	SIDE COVERING PANEL FOR FREESTANDING MODULE
799506	PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION SCHEMES



Fig.1 | Abb.1 | рис.1 - 5415.649.00