


713027

PC12FG7

FREESTANDING 6-BURNER HAS BOILING TOP ON OPEN CABINET



- Freestanding 6-burner gas boiling top on an open cabinet (120 cm).
- High-efficiency cast iron burners and flame spreaders with a single ring (3.3 and 4.5 kW) and double ring (7.2 kW).
- Deep drawn worktop with rounded corners to avoid overflow and for maximum hygiene and easy cleaning.
- Main burner ignition via pilot burner with safety thermocouple.
- Valved gas cock.
- Setup for installing a water tap.
- AISI304 dual-flame round rod pan support grid (10 mm diameter).
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to facilitate connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.



TECHNICAL DATA

TOTAL POWER	30 kW	GAS POWER	30 kW
OPEN BURNER POWER	2x7,2+2x3,3+2x4,5 n°- kW	BOILING TOP POWER	30 kW
NATURAL GAS CONSUMPTION	3,17 m³/h	CABINET DIMENSIONS	113x57,4x39,5 cm
NUMBER OF BURNERS	n° 6	BOILING PAN SUPPORT	Tondino inox
CE GAS CERTIFICATE NUMBER	CE-0085BO0091	GAS CONNECTION DIAMETER	3/4"G EN10226-1
GAS CONNECTION HEIGHT (H)	660 mm	GAS CONNECTION HEIGHT (X)	1166 mm
GAS CONNECTION HEIGHT (Y)	-63 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	WIDTH	120 cm
DEPTH	70 cm	HEIGHT	90 cm
PACKAGE WIDTH	125,0 cm	PACKAGE DEPTH	82,0 cm
PACKAGE HEIGHT	114 cm	NET WEIGHT	80,1000 kg
GROSS WEIGHT	100 kg	VOLUME	1,16 m³
HARMONISED CODE	84198180	LPG CONSUMPTION	2,36 m³/h
LATENT HEAT RELEASE	3600.0 W	SENSIBLE HEAT RELEASE	9000.0 W
STEAM RELEASE	5280.0 g/h		

ACCESSORIES

319002 STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.649.00