


713030

PPC8FG7

FREESTANDING GAS SOLID BOILING TOP ON OPEN CABINET



- Freestanding gas solid top on an open cabinet (80 cm).
- Non-deformable cast iron plate (1 cm thick).
- Cast iron central burner (9 kW) to reach a temperature of 400°C at the plate centre, with pilot burner and safety thermocouple.
- Piezoelectric ignition.
- Valved gas cock.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to facilitate connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.



TECHNICAL DATA

TOTAL POWER	9 kW	GAS POWER	9 kW
BOILING TOP POWER	9 kW	GAS PLATE POWER	1x9 n°- kW
NATURAL GAS CONSUMPTION	0,95 m³/h	ELECTRIC PLATE DIMENSIONS	74,2x55,8 cm
CABINET DIMENSIONS	73x57,4x39,5 cm	NUMBER OF BURNERS	n° 1 (plate)
PLATE TYPE	Cast iron	HEATING ZONES	n° 1
CE GAS CERTIFICATE NUMBER	CE-0085BO0092	GAS CONNECTION DIAMETER	1/2"G EN10226-1
GAS CONNECTION HEIGHT (H)	660 mm	GAS CONNECTION HEIGHT (X)	766 mm
GAS CONNECTION HEIGHT (Y)	-63 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	70 cm
HEIGHT	90 cm	PACKAGE WIDTH	86 cm
PACKAGE DEPTH	81 cm	PACKAGE HEIGHT	111 cm
NET WEIGHT	84,1 kg	GROSS WEIGHT	101,6 kg
VOLUME	0,77 m³	HARMONISED CODE	84198180
LPG CONSUMPTION	0.71 m³/h		

ACCESSORIES

319002	STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90
719005	TECNO74 REAR COVERING PANEL FOR FREESTANDING ELEMENTS (L=80CM)
799503	SIDE COVERING PANEL FOR FREESTANDING MODULE
799506	PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.649.00