


716012

PCS4FE7

**ELECTRIC BOILING TOP WITH 2 SQUARED
HERMETIC PLATES (22X22 CM - 8.7X8.7 IN) ON
OPEN CABINET**



- Freestanding electric boiling top (40 cm) with 2 squared cast iron plates (22x22 cm) on an open cabinet.
- Deep drawn worktop with rounded corners to avoid overflow and for maximum hygiene and easy cleaning.
- Cast iron electric plates hermetically sealed to the deep drawn worktop.
- 2.6 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating and control commands specific for each plate.
- Lights warning when the plates are on.
- Setup for installing a water tap.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to facilitate connection to the electrical network.



TECHNICAL DATA

TOTAL POWER	5,2 kW	ELECTRIC POWER	5,2 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 2N ~ V
BOILING TOP POWER	5,2 kW	COOKING ZONE POWER	2x2,6 n° - kW
ELECTRIC PLATE DIMENSIONS	22x22 cm	CABINET DIMENSIONS	33x57,4x39,5 cm
NUMBER OF COOKING ZONES	n° 2	MINIMUM POWER CABLE CROSS-SECTION	5 x 1,5 n° - mm ²
ELECTRIC CABLE TYPE	H07 RN-F	ELECTRICAL CONNECTION HEIGHT (H)	660 mm
ELECTRICAL CONNECTION HEIGHT (X)	321 mm	ELECTRICAL CONNECTION HEIGHT (Y)	-63 mm
FOOT HEIGHT	155 mm	FOOT ADJUSTMENT	155/250 mm
IPX RATING	4	WIDTH	40 cm
DEPTH	70 cm	HEIGHT	90 cm
PACKAGE WIDTH	81,0 cm	PACKAGE DEPTH	47,0 cm
PACKAGE HEIGHT	114,0 cm	NET WEIGHT	30,0000 kg
GROSS WEIGHT	42,0000 kg	VOLUME	0,4300 m ³
HARMONISED CODE	84198180	LATENT HEAT RELEASE	416.0 W
SENSIBLE HEAT RELEASE	1040.0 W	STEAM RELEASE	613.6 g/h

ACCESSORIES

319002	STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90
620690	TOP FRAME FOR 2 SQUARE HOT PLATES
719004	TECNO74 REAR COVERING PANEL FOR FREESTANDING ELEMENTS (L=40CM)
799503	SIDE COVERING PANEL FOR FREESTANDING MODULE
799506	PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.648.00