


716018

PCC8FE7

FREESTANDING GLASS CERAMIC ELECTRIC BOILING TOP WITH 4 HEATING ZONES ON OPEN CABINET



- Freestanding glass ceramic electric boiling top on an open cabinet (80 cm) with 4 independent cooking zones.
- Glass ceramic top (6 mm thick) hermetically sealed to the top for maximum hygiene and ease of cleaning.
- Ultra-rapid infrared heating elements with a power of 1.8 kW in a single circuit and 2.5 kW in a dual circuit for each independent zone.
- Energy regulator 0-6-infinite.
- Temperature limiter to prevent overheating.
- Heating and control commands specific for each zone.
- Lights warning when the heating zones are active.
- Warning lamps on the glass to enhance operator safety by signalling residual heat.
- Setup for installing a water tap.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to facilitate connection to the electrical network.



TECHNICAL DATA

TOTAL POWER	8,6 kW	ELECTRIC POWER	8,6 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
BOILING TOP POWER	8,6 kW	COOKING ZONE POWER	2x1,8 + 2x2,5 n°- kW
CABINET DIMENSIONS	73x57,4x39,5 cm	2-ZONE HEATING ELEMENTS	n° 2
NUMBER OF COOKING ZONES	n° 4	MINIMUM POWER CABLE CROSS-SECTION	5 x 2,5 n° - mm ²
ELECTRIC CABLE TYPE	H07 RN-F	HEATING ZONES	n° 4
ELECTRICAL CONNECTION HEIGHT (H)	660 mm	ELECTRICAL CONNECTION HEIGHT (X)	721 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-63 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	70 cm
HEIGHT	90 cm	PACKAGE WIDTH	86 cm
PACKAGE DEPTH	80 cm	PACKAGE HEIGHT	113 cm
NET WEIGHT	38,5000 kg	GROSS WEIGHT	55,4 kg
VOLUME	0,78 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	688.0 W	SENSIBLE HEAT RELEASE	1720.0 W
STEAM RELEASE	1014.8 g/h		

ACCESSORIES

319002	STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90
399516	ADJUSTABLE WATER TAP
719005	TECNO74 REAR COVERING PANEL FOR FREESTANDING ELEMENTS (L=80CM)
799503	SIDE COVERING PANEL FOR FREESTANDING MODULE
799506	PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.650.00