


716024

PP8FF7

FREESTANDING ELECTRIC SOLID BOILING TOP ON OPEN CABINET





- Freestanding electric solid top with 4 independent zones on an open cabinet (80 cm).
- Electric solid tops and cookers are suitable for indirect cooking only.
- Overflow-proof worktop with raised and welded edges.
- Non-deformable, molybdenum steel plate (15 mm thick) with prolonged heat retention properties.
- Ultra-rapid infrared heating elements secured under the plate with a power of 2.0 kW for each independent zone.
- Maximum temperature of 470°C.
- Energy regulator 0-6-infinite.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating and control commands specific for each zone.
- Safety thermostat.
- Lights warning when the heating zones are active.
- Setup for installing a water tap.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to facilitate connection to the electrical network.



TF	CH	INI	CA	ח ו	Δ٦	ГΔ
-	Oi	11 41	U/ \	$\vdash \nu$, v	· / \

TOTAL POWER	8 kW	ELECTRIC POWER	8 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
BOILING TOP POWER	8 kW	COOKING ZONE POWER	4x2 n°- kW
ELECTRIC PLATE DIMENSIONS	76,3x58 cm	CABINET DIMENSIONS	73x57,4x39,5 cm
NUMBER OF COOKING ZONES	n° 4	MINIMUM POWER CABLE CROSS-SECTION	5 x 2,5 n° - mm²
ELECTRIC CABLE TYPE	H07 RN-F	PLATE TYPE	Iron and molybdenum
HEATING ZONES	n° 4	ELECTRICAL CONNECTION HEIGHT (H)	660 mm
ELECTRICAL CONNECTION HEIGHT (X)	650 mm	ELECTRICAL CONNECTION HEIGHT (Y)	-63 mm
FOOT HEIGHT	155 mm	FOOT ADJUSTMENT	155/250 mm
IPX RATING	4	WIDTH	80 cm
DEPTH	70 cm	HEIGHT	90 cm
PACKAGE WIDTH	85,0 cm	PACKAGE DEPTH	82,0 cm
PACKAGE HEIGHT	114,0 cm	NET WEIGHT	90,5000 kg
GROSS WEIGHT	101 kg	VOLUME	0,7900 m ³
HARMONISED CODE	84198180		

ACCESSORIES

319002 STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90

719005 TECNO74 REAR COVERING PANEL FOR FREESTANDING ELEMENTS (L=80CM)

799503 SIDE COVERING PANEL FOR FREESTANDING MODULE

799506 PAIR OF CLOSING ELEMENTS (L=70CM)



INSTALLATION SCHEMES

