

716089

PPF8V7

ELECTRIC SOLID TOP COOKER ON GN1/1 ELECTRIC CONVECTION OVEN WITH 1 GRID





- Electric solid top cooker (80 cm) with 4 independent zones on a GN 1/1 electric convection oven.
- Electric solid tops and cookers are suitable for indirect cooking only.
- Overflow-proof worktop with raised and welded edges.
- Non-deformable, molybdenum steel plate (15 mm thick) with prolonged heat retention properties.
- Ultra-fast radiant heating elements secured under the 2.0 kW plate for each independent area.
- Ultra-rapid infrared heating elements secured under the plate with a power of 2.0 kW for each independent zone.
- Maximum temperature of 470°C.
- Energy regulator 0-6-infinite.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating and control commands specific for each zone.
- Safety thermostat.
- Lights warning when the heating zones are active.
- Setup for installing a water tap.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
 - >> GN 1/1 ELECTRIC CONVECTION OVEN.
 - >> AISI 304 stainless steel oven door.
- >> Stainless steel cooking chamber and long-lasting steel mesh and glass fibre gasket resistant to high temperatures.
- >> Heating through 2 fans with 2 heating elements with thermostatic control 60-270°C.
 - >> Stainless steel removable side tray racks.
 - >> 1 grid supplied.
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to facilitate connection to the electrical network.



TECHNICAL DATA			
TOTAL POWER	13 kW	ELECTRIC POWER	13 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
OVEN POWER	5 kW	BOILING TOP POWER	8 kW
COOKING ZONE POWER	4x2 n°- kW	TRAY CAPACITY	n° 5xGN1/1
COOKING CHAMBER DIMENSIONS	57x51,5x30 cm	OVEN DIMENSIONS	GN1/1
ELECTRIC PLATE DIMENSIONS	76,3x58 cm	GUIDES	n° 5
NUMBER OF COOKING ZONES	n° 4	VERTICAL DISTANCE BETWEEN TRAYS	5 cm
OVEN TEMPERATURE RANGE	60÷270 °C	MINIMUM POWER CABLE CROSS-SECTION	5 x 2,5 n° - mm²
ELECTRIC CABLE TYPE	H07 RN-F	OVEN TYPE	Convection
PLATE TYPE	Iron and molybdenum	HEATING ZONES	n° 4
ELECTRICAL CONNECTION HEIGHT (H)	0 mm	ELECTRICAL CONNECTION HEIGHT (X)	650 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-580 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	70 cm
HEIGHT	90 cm	NET WEIGHT	130,5 kg
GROSS WEIGHT	148 kg	VOLUME	0,79 m³
HARMONISED CODE	84198180		

ACCESSORIES

619004 EXTRA OVEN GRID GN1/1 (53X47CM) 799506 PAIR OF CLOSING ELEMENTS (L=70CM)



INSTALLATION SCHEMES

