
716100

PCU8E7

**ELECTRIC BOILING TOP WITH 4 SQUARED
COPLANAR TILTING PLATES (30X30 CM - 11.8X11.8
IN, TOP VERSION)**



- Boiling top (80 cm) with 4 coplanar, tilting, electric plates.
- Coplanar, tilting, squared, cast iron electric plates (30x30 cm and 8 mm thick) not hermetically sealed to the worktop.
- 3 kW power for each plate adjustable to 6 levels.
- Heating and control commands specific for each plate.
- Lights warning when the plates are on.
- Drawer to collect cooking residue.
- Height-adjustable rubberised plastic feet (15-25 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to facilitate connection to the electrical network.

TECHNICAL DATA

TOTAL POWER	12 kW	ELECTRIC POWER	12 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
BOILING TOP POWER	12 kW	COOKING ZONE POWER	4X3 n°- kW
ELECTRIC PLATE DIMENSIONS	30x30 cm	NUMBER OF COOKING ZONES	n° 4
MINIMUM POWER CABLE CROSS-SECTION	5 x 2,5 n° - mm ²	ELECTRIC CABLE TYPE	H07 RN-F
ELECTRICAL CONNECTION HEIGHT (Y)	-63 mm	FOOT HEIGHT	15 mm
FOOT ADJUSTMENT	15/25 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	70 cm
HEIGHT	28 cm	PACKAGE WIDTH	87,0 cm
PACKAGE DEPTH	81,0 cm	PACKAGE HEIGHT	56,0 cm
NET WEIGHT	28 kg	GROSS WEIGHT	38 kg
VOLUME	0,39 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	960.0 W	SENSIBLE HEAT RELEASE	2400.0 W
STEAM RELEASE	1416.0 g/h		

ACCESSORIES

799506 PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.648.00